



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

BEST AVAILABLE COPY

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03078613.1

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Anmeldung Nr:
Application no.: 03078613.1
Demande no:

Anmeldetag:
Date of filing: 18.11.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Vironovative B.V.
Burgemeester Oudlaan 50
3062 PA Rotterdam
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Novel atypical pneumonia-causing virus

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

C12N7/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

18.11.2003

P67119EP00

(68)

Title: Novel atypical pneumonia-causing virus

5

The invention relates to the field of virology.

The SARS outbreak of 2002-2003 has prompted a search for related viruses that may have previously caused atypical pneumonias or that may do so in the future. A
10 respiratory illness (atypical pneumonia) was diagnosed in an 8 months old patient that could not be attributed to SARS (Severe Acute Respiratory Syndrome) virus or any other known viral infection. The patient tested negative for influenza, parainfluenza, mumps and RSV and yet the disease was identified to be caused by a virus which closely resembled SARS.

15 For being able to trace its origin, monitor its epidemiology and prevent possible spreading of the disease, it is of great importance to be able to recognise viral causes of pneumonia in an early stage. Especially, if severe diseases are found to be caused by viruses, it is necessary to detect the identity of the virus as soon as possible, in order to develop diagnostic tools and possibly therapies. The SARS epidemic has shown that it is
20 paramount for prevention of spread of the disease to be able to get an early diagnosis in order to take timely and effective isolation measures and initiate quarantine precautions. Only then, world-wide contaminations can be prevented.

Furthermore, identification of the viral cause for the disease enables development of vaccines, which can be used prophylactically to protect people who are a
25 risk of being infected. And, finally, knowledge of the viral cause enables to develop therapeutic measures.

Thus, there is great need in developing diagnostic tools and therapies for viral pneumonias in general, and particular to a novel disease-causing infectious agent, especially when this agent appears to be a virus.

30 The invention provides the nucleotide sequence of an isolated essentially mammalian positive-sense single stranded RNA virus belonging to the Coronaviruses, which is the causative factor for the new disease, hereinafter referred to as EMCR-CoV and the disease being referred to as EMCR-CoV-caused pneumonia. A virus according to

the invention is isolatable from a human with respiratory tract disease such as, but not limited to, atypical pneumonia.

From a phylogenetic analysis of the Matrix and Nucleocapsid gene sequences of the virus (Fig. 1a and 1b) it appears that the virus is a distinct member of the group
 5 formed by PEDV (porcine epidemic diarrhea virus), HCoV-229E (human coronavirus 229E), PRCoV (porcine respiratory coronavirus), TGEV (transmissible gastroenteritis virus), CaCoV (Canine coronavirus) and FeCoV (feline coronavirus). In general, human coronavirus 229E seems to be the closest relative (at least for the Matrix and Nucleocapsid proteins).

10 Although phylogenetic analyses provide a convenient method of identifying a virus, several other possibly more straightforward albeit somewhat more coarse methods for identifying said virus or viral proteins or nucleic acids from said virus are herein also provided. As a rule of thumb an EMCR-Coronavirus can be identified by the percentages of homology of the virus, proteins or nucleic acids to be identified in
 15 comparison with viral proteins or nucleic acids identified herein by sequence. It is generally known that virus species, especially RNA virus species, often constitute a quasi species wherein a cluster of said viruses displays heterogeneity among its members. Thus it is expected that each isolate may have a somewhat different percentage relationship with the sequences of the isolate as provided herein.

20 When one wishes to compare a virus isolate with the sequences as listed in figure 3, the invention provides an isolated essentially mammalian positive-sense single stranded RNA virus (EMCR-CoV) belonging to the Coronaviruses and identifiable as phylogenetically corresponding thereto by determining a nucleic acid sequence of said virus and determining that said nucleic acid sequence has a percentage nucleic acid
 25 identity to the sequences as listed higher than the percentages identified herein for the nucleic acids as identified herein below in comparison with PEDV, 229E, PRCoV, TGEV, CaCoV and FeCoV. Likewise, an isolated essentially mammalian positive-sense single stranded RNA virus (EMCR-CoV) belonging to the Coronaviruses and identifiable as phylogenetically corresponding thereto by determining an amino acid sequence of said
 30 virus and determining that said amino acid sequence has a percentage amino acid homology to the sequences as listed which is essentially higher than the percentages provided herein in comparison with PEDV, 229E, PRCoV, TGEV, CaCoV and FeCoV.

With the provision of the sequence information of this EMCR-Coronavirus (EMCR-CoV), the invention provides diagnostic means and methods, prophylactic mean

and methods and therapeutic means and methods to be employed in the diagnosis, prevention and/or treatment of disease, in particular of respiratory disease (atypical pneumonia), in particular of mammals, more in particular in humans associated with infection by this virus. In virology, it is most advisory that diagnosis, prophylaxis and/o
 5 treatment of a specific viral infection is performed with reagents that are most specific for said specific virus causing said infection. In this case this means that it is preferred that said diagnosis, prophylaxis and/or treatment of an EMCR-CoV virus infection is performed with reagents that are most specific for EMCR-CoV virus. This by no means however excludes the possibility that less specific, but sufficiently cross-reactive
 10 reagents are used instead, for example because they are more easily available and sufficiently address the task at hand.

The invention for example provides a method for virologically diagnosing an EMCR-CoV infection of an animal, in particular of a mammal, more in particular of a human being, comprising determining in a sample of said animal the presence of a viral
 15 isolate or component thereof by reacting said sample with an EMCR-CoV specific nucleic acid or antibody according to the invention, and a method for serologically diagnosing an EMCR-CoV infection of a mammal comprising determining in a sample of said mammal the presence of an antibody specifically directed against an EMCR-CoV virus or component thereof by reacting said sample with an EMCR-CoV virus-specific
 20 proteinaceous molecule or fragment thereof or an antigen according to the invention.

The invention also provides a diagnostic kit for diagnosing an EMCR-CoV infection comprising an EMCR-CoV virus, an EMCR-CoV virus-specific nucleic acid, proteinaceous molecule or fragment thereof, antigen and/or an antibody according to the invention, and preferably a means for detecting said EMCR-CoV virus, EMCR-CoV
 25 virus-specific nucleic acid, proteinaceous molecule or fragment thereof, antigen and/or an antibody, said means for example comprising an excitable group such as a fluorophore or enzymatic detection system used in the art (examples of suitable diagnostic kit format comprise IF, ELISA, neutralization assay, RT-PCR assay). To determine whether an as yet unidentified virus component or synthetic analogue thereof
 30 such as nucleic acid, proteinaceous molecule or fragment thereof can be identified as EMCR-CoV-virus-specific, it suffices to analyse the nucleic acid or amino acid sequence of said component, for example for a stretch of said nucleic acid or amino acid, preferably of at least 10, more preferably at least 25, more preferably at least 40 nucleotides or amino acids (respectively), by sequence homology comparison with the

provided EMCR-CoV viral sequences and with known non-EMCR-CoV viral sequences (human coronavirus 229E is preferably used) using for example phylogenetic analyses as provided herein. Depending on the degree of relationship with said EMCR-CoV or non-EMCR-CoV viral sequences, the component or synthetic analogue can be identified.

5 The invention thus provides the nucleotide sequence of a novel etiological agent, an isolated essentially mammalian positive-sense single stranded RNA virus (herein also called EMCR-CoV virus) belonging to the Coronaviridae family, and EMCR-CoV virus-specific components or synthetic analogues thereof.

Coronaviruses were first isolated from chickens in 1937, while the first human
10 coronavirus was propagated *in vitro* by Tyrell and Bonoe in 1965. There are now about 13 species in this family, which infect cattle, pigs, rodents, cats, dogs, birds and man. Coronavirus particles are irregularly shaped, about 60-220 nm in diameter, with an outer envelope bearing distinctive, 'club-shaped' peplomers (about 20 nm long and 10 nm wide at the distal end). This 'crown-like' appearance give the family its name. The
15 envelope carries two glycoproteins: S, the spike glycoprotein which is involved in cell fusion and is a major antigen, and M, the membrane glycoprotein, which is involved in budding and envelope formation. The genome is associated with a basic phosphoprotein, designated N. The genome of coronaviruses, a single stranded positive-sense RNA strand, is typically 27-31 Kb long and contains a 5' methylated cap and a 3' poly-A tail,
20 by which it can directly function as an mRNA in the infected cell. Initially the 5' ORF 1 (about 20 Kb) is translated to produce a viral polymerase, which then produces a full length negative sense strand. This is used as a template to produce mRNA as a 'nested set' of transcripts, all with identical 5' non-translated leader sequence of 72 nucleotides and coincident 3' polyadenylated ends. Each mRNA thus produced is monocistronic, the
25 genes at the 5' end being translated from the longest mRNA and so on. These unusual cytoplasmic structures are produced not by splicing, but by the polymerase during transcription. Between each of the genes there is a repeated intergenic sequence – AACUAAAC – which interacts with the transcriptase plus cellular factors to splice the leader sequence onto the start of each ORF. In some coronaviruses there are about 8
30 ORFs, coding for the proteins mentioned above, but also for a haemagglutinin esterase (HE), and several other non-structural proteins.

Newly isolated viruses are phylogenetically corresponding to and thus taxonomically corresponding to EMCR-CoV virus when comprising a gene order and/or amino acid sequence and/or nucleotide sequence sufficiently similar to our prototypic

EMCR-CoV virus. The highest amino acid sequence homology, between EMCRCoV virus and any of the known other viruses of the same family to date (human coronavirus 299E or Porcine Epidemic Diarrhea Virus) is for parts of the replicase polyprotein 1ab 80-83% (see, for example Fig. 3 sequences D and E; the % homology, and the virus to which the homology is found depend on the region of the replicase that is examined), and can be deduced when comparing the sequences given in figure 3 with sequences of other viruses, in particular of human coronavirus 299E. Individual proteins or whole virus isolates with, respectively, higher homology than these mentioned maximum values are considered phylogenetically corresponding and thus taxonomically corresponding to EMCRCoV virus, and generally will be encoded by a nucleic acid sequence structurally corresponding with a sequence as shown in figure 3. Herewith the invention provides a virus phylogenetically corresponding to the isolated virus of which the sequences are depicted in figure 3.

It should be noted that, similar to other viruses, a certain degree of variation can be expected to be found between EMCRCoV-viruses isolated from different sources.

Also, the viral sequence of the EMCRCoV virus or an isolated EMCRCoV virus gene as provided herein for example shows less than 95%, preferably less than 90%, more preferably less than 80%, more preferably less than 70% and most preferably less than 65% nucleotide sequence homology or less than 95%, preferably less than 90%, more preferably less than 80%, more preferably less than 70% and most preferably less than 65% amino acid sequence homology with the respective nucleotide or amino acid sequence of the human coronavirus 299E or Porcine Epidemic Diarrhea Virus as for example can be found in Genbank (for example in accession number af304460 (HCoV-299E) or af353511 (PEDV)).

Sequence divergence of EMCRCoV strains around the world may be somewhat higher, in analogy with other coronaviruses.

The term "nucleotide sequence homology" as used herein denotes the presence of homology between two (poly)nucleotides. Polynucleotides have "homologous" sequences if the sequence of nucleotides in the two sequences is the same when aligned for maximum correspondence. Sequence comparison between two or more polynucleotides is generally performed by comparing portions of the two sequences over a comparison window to identify and compare local regions of sequence similarity. The comparison window is generally from about 20 to 200 contiguous nucleotides. The "percentage of sequence homology" for polynucleotides, such as 50, 60, 70, 80, 90, 95, 98, 99 or 100

percent sequence homology may be determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleotide sequence in the comparison window may include additions or deletions (i.e. gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by: (a) determining the number of positions at which the identical nucleic acid base occurs in both sequences to yield the number of matched positions; (b) dividing the number of matched positions by the total number of positions in the window of comparison; and (c) multiplying the result by 100 to yield the percentage of sequence homology. Optimal alignment of sequences for comparison may be conducted by computerized implementations of known algorithms, or by inspection. Readily available sequence comparison and multiple sequence alignment algorithms are, respectively, the Basic Local Alignment Search Tool (BLAST) (Altschul, S.F. et al. 1990. J. Mol. Biol. 215:403; Altschul, S.F. et al. 1997. Nucleic Acid Res. 25:3389-3402) and ClustalW programs both available on the internet. Other suitable programs include GAP, BESTFIT and FASTA in the Wisconsin Genetics Software Package (Genetics Computer Group (GCG), Madison, WI, USA).

As used herein, "substantially complementary" means that two nucleic acid sequences have at least about 65%, preferably about 70%, more preferably about 80%, even more preferably 90%, and most preferably about 98%, sequence complementarity to each other. This means that the primers and probes must exhibit sufficient complementarity to their template and target nucleic acid, respectively, to hybridise under stringent conditions. Therefore, the primer sequences as disclosed in this specification need not reflect the exact sequence of the binding region on the template and degenerate primers can be used. A substantially complementary primer sequence is one that has sufficient sequence complementarity to the amplification template to result in primer binding and second-strand synthesis.

The term "hybrid" refers to a double-stranded nucleic acid molecule, or duplex, formed by hydrogen bonding between complementary nucleotides. The terms "hybridise" or "anneal" refer to the process by which single strands of nucleic acid sequences form double-helical segments through hydrogen bonding between complementary nucleotides.

The term "oligonucleotide" refers to a short sequence of nucleotide monomers (usually 6 to 100 nucleotides) joined by phosphorous linkages (e.g., phosphodiester, alkyl and aryl-phosphate, phosphorothioate), or non-phosphorous linkages (e.g., peptide,

sulfamate and others). An oligonucleotide may contain modified nucleotides having modified bases (e.g., 5-methyl cytosine) and modified sugar groups (e.g., 2'-O-methyl ribosyl, 2'-O-methoxyethyl ribosyl, 2'-fluoro ribosyl, 2'-amino ribosyl, and the like). Oligonucleotides may be naturally-occurring or synthetic molecules of double- and
 5 single-stranded DNA and double- and single-stranded RNA with circular, branched or linear shapes and optionally including domains capable of forming stable secondary structures (e.g., stem-and-loop and loop-stem-loop structures).

The term "primer" as used herein refers to an oligonucleotide which is capable of annealing to the amplification target allowing a DNA polymerase to attach thereby
 10 serving as a point of initiation of DNA synthesis when placed under conditions in which synthesis of primer extension product which is complementary to a nucleic acid strand is induced, i.e., in the presence of nucleotides and an agent for polymerization such as DNA polymerase and at a suitable temperature and pH. The (amplification) primer is preferably single stranded for maximum efficiency in amplification. Preferably, the
 15 primer is an oligodeoxy ribonucleotide. The primer must be sufficiently long to prime the synthesis of extension products in the presence of the agent for polymerization. The exact lengths of the primers will depend on many factors, including temperature and source of primer. A "pair of bi-directional primers" as used herein refers to one forward and one reverse primer as commonly used in the art of DNA amplification such as in
 20 PCR amplification.

The term "probe" refers to a single-stranded oligonucleotide sequence that will recognize and form a hydrogen-bonded duplex with a complementary sequence in a target nucleic acid sequence analyte or its cDNA derivative.

The terms "stringency" or "stringent hybridization conditions" refer to
 25 hybridization conditions that affect the stability of hybrids, e.g., temperature, salt concentration, pH, formamide concentration and the like. These conditions are empirically optimised to maximize specific binding and minimize non-specific binding of primer or probe to its target nucleic acid sequence. The terms as used include reference to conditions under which a probe or primer will hybridise to its target sequence, to a
 30 detectably greater degree than other sequences (e.g. at least 2-fold over background). Stringent conditions are sequence dependent and will be different in different circumstances. Longer sequences hybridise specifically at higher temperatures. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m

is the temperature (under defined ionic strength and pH) at which 50% of a complementary target sequence hybridises to a perfectly matched probe or primer. Typically, stringent conditions will be those in which the salt concentration is less than about 1.0 M Na⁺ ion, typically about 0.01 to 1.0 M Na⁺ ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes or primers (e.g. 10 to 50 nucleotides) and at least about 60°C for long probes or primers (e.g. greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. Exemplary low stringent conditions or "conditions of reduced stringency" include hybridization with a buffer solution of 30% formamide, 1 M NaCl, 1% SDS at 37°C and a wash in 2x SSC at 40°C. Exemplary high stringency conditions include hybridization in 50% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 0.1x SSC at 60°C. Hybridization procedures are well known in the art and are described in e.g. Ausubel et al, Current Protocols in Molecular Biology, John Wiley & Sons Inc., 1994.

The term "antibody" includes reference to antigen binding forms of antibodies (e.g., Fab, F(ab) 2). The term "antibody" frequently refers to a polypeptide substantially encoded by an immunoglobulin gene or immunoglobulin genes, or fragments thereof which specifically bind and recognize an analyte (antigen). However, while various antibody fragments can be defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized de novo either chemically or by utilizing recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments such as single chain Fv, chimeric antibodies (i. e., comprising constant and variable regions from different species), humanized antibodies (i. e., comprising a complementarity determining region (CDR) from a non-human source) and heteroconjugate antibodies (e. g., bispecific antibodies).

In short, the invention provides an isolated essentially mammalian positive-sense single stranded RNA virus (EMCR-CoV) belonging to the Coronaviruses and identifiable as phylogenetically corresponding thereto by determining a nucleic acid sequence of a suitable fragment of the genome of said virus and testing it in phylogenetic tree analyses wherein maximum likelihood trees are generated using 100 bootstraps and 3 jumbles and finding it to be more closely phylogenetically corresponding to a virus isolate having the sequences as depicted in figure 3 than it is corresponding to a virus isolate of PEDV (porcine epidemic diarrhea virus), HCoV-229E (human coronavirus 229E), PRCoV (porcine respiratory coronavirus), TGEV

(transmissible gastroenteritis virus), CaCoV (Canine coronavirus) and FeCoV (feline coronavirus).

Suitable nucleic acid genome fragments each useful for such phylogenetic tree analyses are for example any of the fragments encoding the Matrix protein or the Nucleocapsid protein as disclosed in figure 3, leading to the phylogenetic tree analysis as disclosed herein in figure 1a or 1b.

A suitable open reading frame (ORF) comprises the ORF encoding the viral replicase (ORF 1a). When an overall amino acid identity of at least 60%, preferably of at least 70%, more preferably of at least 80%, more preferably of at least 90%, most preferably of at least 95% of the analysed replicase with the replicase having a sequence comprising the amino acid fragments A, B, C, D, E, and/or F of figure 3 is found, the analysed virus isolate comprises an EMCR-CoV virus isolate according to the invention

Another suitable open reading frame (ORF) useful in phylogenetic analyses comprises the ORF encoding the Nucleocapsid protein. When an overall amino acid identity of at least 60%, more preferably of at least 70%, more preferably of at least 80%, more preferably of at least 90%, most preferably of at least 95% of the analysed Nucleocapsid protein with the Nucleocapsid protein encoded by a sequence comprising (part of) the sequence F of figure 3 is found, the analysed virus isolate comprises an EMCR-CoV isolate according to the invention.

Another suitable open reading frame (ORF) useful in phylogenetic analyses comprises the ORF encoding the Matrix protein. When an overall amino acid identity of at least 60%, more preferably of at least 70%, more preferably of at least 80%, more preferably of at least 90%, most preferably of at least 95% of the analysed Matrix protein with the Matrix protein encoded by a sequence comprising (part of) the sequence F of figure 3 is found, the analysed virus isolate comprises an EMCR-CoV isolate according to the invention.

Another suitable open reading frame (ORF) useful in phylogenetic analyses comprises the ORF encoding the spike protein S. When an overall amino acid identity of at least 60%, more preferably of at least 70%, more preferably of at least 80%, more preferably of at least 90%, most preferably of at least 95% of the analysed S-protein encoded by a sequence comprising the sequence of translation 2 of E and translation 1 of the F sequence of the S-protein as depicted in figure 3 is found, the analysed virus isolate comprises an EMCR-CoV virus isolate according to the invention. The S ORF of the EMCR-CoV virus seems to be located adjacent to the ORF 1ab (coding for the viral

replicase), which would discriminate an EMCR-CoV viruses from the bovine coronavirus and the murine hepatitis virus, which have a so-called 2a gene and an HE-gene between the S protein and the viral polymerase.

5 The invention provides among others an isolated or recombinant nucleic acid or virus-specific functional fragment thereof obtainable from a virus according to the invention. The isolated or recombinant nucleic acids comprises the sequences as given in figure 3 or sequences of homologues which are able to hybridise with those under stringent conditions. In particular, the invention provides primers and/or probes suitable for identifying an EMCR-CoV virus nucleic acid.

10 Furthermore, the invention provides a vector comprising a nucleic acid according to the invention. To begin with, vectors such as plasmid vectors containing (parts of) the genome of the EMCR-CoV virus, virus vectors containing (parts of) the genome of the EMCR-CoV (for example, but not limited thereto, vaccinia virus, retroviruses, baculovirus), or EMCR-CoV virus containing (parts of) the genome of other viruses or
15 other pathogens are provided.

Also, the invention provides a host cell comprising a nucleic acid or a vector according to the invention. Plasmid or viral vectors containing the replicase components of EMCR-CoV virus are generated in prokaryotic cells for the expression of the components in relevant cell types (bacteria, insect cells, eukaryotic cells). Plasmid or
20 viral vectors containing full-length or partial copies of the EMCR-CoV virus genome will be generated in prokaryotic cells for the expression of viral nucleic acids *in-vitro* or *in-vivo*. The latter vectors may contain other viral sequences for the generation of chimeric viruses or chimeric virus proteins, may lack parts of the viral genome for the generation of replication defective virus, and may contain mutations, deletions or insertions for the
25 generation of attenuated viruses.

Infectious copies of EMCR-CoV virus (being wild type, attenuated, replication-defective or chimeric) can be produced upon co-expression of the polymerase components according to the state-of-the-art technologies described above.

In addition, eukaryotic cells, transiently or stably expressing one or more full-
30 length or partial EMCR-CoV virus proteins can be used. Such cells can be made by transfection (proteins or nucleic acid vectors), infection (viral vectors) or transduction (viral vectors) and may be useful for complementation of mentioned wild type, attenuated, replication-defective or chimeric viruses.

A chimeric virus may be of particular use for the generation of recombinant vaccines protecting against two or more viruses. For example, it can be envisaged that EMCR-CoV virus vector expressing one or more proteins of a human metapneumovirus or a human metapneumovirus vector expressing one or more proteins of EMCR-CoV virus will protect individuals vaccinated with such vector against both virus infections. Such a specific chimeric virus is particularly useful in the invention because it is suspected that co-infection of, for instance, human metapneumovirus frequently occurs in coronavirus infected patients. Attenuated and replication-defective viruses may be of use for vaccination purposes with live vaccines as has been suggested for other viruses.

In a preferred embodiment, the invention provides a proteinaceous molecule or coronavirus-specific viral protein or functional fragment thereof encoded by a nucleic acid according to the invention. Useful proteinaceous molecules are for example derived from any of the genes or genomic fragments derivable from a virus according to the invention. Such molecules, or antigenic fragments thereof, as provided herein, are for example useful in diagnostic methods or kits and in pharmaceutical compositions such as sub-unit vaccines and inhibitory peptides. Particularly useful are the viral replicase protein, the spike protein, the matrix protein, the nucleocapsid or antigenic fragments thereof for inclusion as antigen or subunit immunogen, but inactivated whole virus can also be used. Particularly useful are also those proteinaceous substances that are encoded by recombinant nucleic acid fragments that are identified for phylogenetic analyses, of course preferred are those that are within the preferred bounds and metes of ORFs useful in phylogenetic analyses, in particular for eliciting EMCR-CoV virus specific antibodies, whether in vivo (e.g. for protective purposes or for providing diagnostic antibodies) or in vitro (e.g. by phage display technology or another technique useful for generating synthetic antibodies).

Also provided herein are antibodies, be it natural polyclonal or monoclonal, or synthetic (e.g. (phage) library-derived binding molecules) antibodies that specifically react with an antigen comprising a proteinaceous molecule or EMCR-CoV virus-specific functional fragment thereof according to the invention. Such antibodies are useful in a method for identifying a viral isolate as an EMCR-CoV virus comprising reacting said viral isolate or a component thereof with an antibody as provided herein. This can for example be achieved by using purified or non-purified EMCR-CoV virus or parts thereof (proteins, peptides) using ELISA, RIA, FACS or similar formats of antigen detection assays (Current Protocols in Immunology). Alternatively, infected cells or cell cultures

may be used to identify viral antigens using classical immunofluorescence or immunohistochemical techniques. Specifically useful in this respect are antibodies raised against EMCR-CoV virus proteins which are encoded by a nucleotide sequence comprising one or more of the fragments disclosed in figure 3.

5 Other methods for identifying a viral isolate as an EMCR-CoV virus comprise reacting said viral isolate or a component thereof with a virus specific nucleic acid according to the invention.

 In this way the invention provides a viral isolate identifiable with a method according to the invention as a mammalian virus taxonomically corresponding to a
10 positive-sense single stranded RNA virus identifiable as likely belonging to the EMCR-CoV virus genus within the family of Coronaviruses.

 The method is useful in a method for virologically diagnosing an EMCR-CoV virus infection of a mammal, said method for example comprising determining in a sample of said mammal the presence of a viral isolate or component thereof by reacting
15 said sample with a nucleic acid or an antibody according to the invention.

 Methods of the invention can in principle be performed by using any nucleic acid amplification method, such as the Polymerase Chain Reaction (PCR; Mullis 1987, U.S. Pat. No. 4,683,195, 4,683,202, en 4,800,159) or by using amplification reactions such as Ligase Chain Reaction (LCR; Barany 1991, Proc. Natl. Acad. Sci. USA 88:189-193; EP
20 Appl. No., 320,308), Self-Sustained Sequence Replication (3SR; Guatelli et al., 1990, Proc. Natl. Acad. Sci. USA 87:1874-1878), Strand Displacement Amplification (SDA; U.S. Pat. Nos. 5,270,184, en 5,455,166), Transcriptional Amplification System (TAS; Kwoh et al., Proc. Natl. Acad. Sci. USA 86:1173-1177), Q-Beta Replicase (Lizardi et al., 1988, Bio/Technology 6:1197), Rolling Circle Amplification (RCA; U.S. Pat. No.
25 5,871,921), Nucleic Acid Sequence Based Amplification (NASBA), Cleavase Fragment Length Polymorphism (U.S. Pat. No. 5,719,028), Isothermal and Chimeric Primer-initiated Amplification of Nucleic Acid (ICAN), Ramification-extension Amplification Method (RAM; U.S. Pat. Nos. 5,719,028 and 5,942,391) or other suitable methods for amplification of nucleic acids.

30 In order to amplify a nucleic acid with a small number of mismatches to one or more of the amplification primers, an amplification reaction may be performed under conditions of reduced stringency (e.g. a PCR amplification using an annealing temperature of 38°C, or the presence of 3.5 mM MgCl₂). The person skilled in the art will be able to select conditions of suitable stringency.

The primers herein are selected to be "substantially" complementary (i.e. at least 65%, more preferably at least 80% perfectly complementary) to their target regions present on the different strands of each specific sequence to be amplified. It is possible to use primer sequences containing e.g. inositol residues or ambiguous bases or even primers that contain one or more mismatches when compared to the target sequence. In general, sequences that exhibit at least 65%, more preferably at least 80% homology with the target DNA or RNA oligonucleotide sequences, are considered suitable for use in a method of the present invention. Sequence mismatches are also not critical when using low stringency hybridization conditions.

The detection of the amplification products can in principle be accomplished by any suitable method known in the art. The detection fragments may be directly stained or labelled with radioactive labels, antibodies, luminescent dyes, fluorescent dyes, or enzyme reagents. Direct DNA stains include for example intercalating dyes such as acridine orange, ethidium bromide, ethidium monoazide or Hoechst dyes.

Alternatively, the DNA or RNA fragments may be detected by incorporation of labelled dNTP bases into the synthesized fragments. Detection labels which may be associated with nucleotide bases include e.g. fluorescein, cyanine dye or BrdUrd.

When using a probe-based detection system, a suitable detection procedure for use in the present invention may for example comprise an enzyme immunoassay (EIA) format (Jacobs et al., 1997, J. Clin. Microbiol. 35, 791-795). For performing a detection by manner of the EIA procedure, either the forward or the reverse primer used in the amplification reaction may comprise a capturing group, such as a biotin group for immobilization of target DNA PCR amplicons on e.g. a streptavidin coated microtiter plate wells for subsequent EIA detection of target DNA -amplicons (see below). The skilled person will understand that other groups for immobilization of target DNA PCR amplicons in an EIA format may be employed.

Probes useful for the detection of the target DNA as disclosed herein preferably bind only to at least a part of the DNA sequence region as amplified by the DNA amplification procedure. Those of skill in the art can prepare suitable probes for detection based on the nucleotide sequence of the target DNA without undue experimentation as set out herein. Also the complementary nucleotide sequences, whether DNA or RNA or chemically synthesized analogs, of the target DNA may suitably be used as type-specific detection probes in a method of the invention, provided that such a complementary strand is amplified in the amplification reaction employed.

Suitable detection procedures for use herein may for example comprise immobilization of the amplicons and probing the DNA sequences thereof by e.g. southern blotting. Other formats may comprise an EIA format as described above. To facilitate the detection of binding, the specific amplicon detection probes may comprise a label moiety such as a fluorophore, a chromophore, an enzyme or a radio-label, so as to facilitate monitoring of binding of the probes to the reaction product of the amplification reaction. Such labels are well-known to those skilled in the art and include, for example, fluorescein isothiocyanate (FITC), β -galactosidase, horseradish peroxidase, streptavidin, biotin, digoxigenin, ³⁵S or ¹²⁵I. Other examples will be apparent to those skilled in the art.

Detection may also be performed by a so called reverse line blot (RLB) assay, such as for instance described by Van den Brule et al. (2002, J. Clin. Microbiol. 40, 779-787). For this purpose RLB probes are preferably synthesized with a 5' amino group for subsequent immobilization on e.g. carboxyl-coated nylon membranes. The advantage of an RLB format is the ease of the system and its speed, thus allowing for high throughput sample processing.

The use of nucleic acid probes for the detection of RNA or DNA fragments is well known in the art. Mostly these procedure comprise the hybridization of the target nucleic acid with the probe followed by post-hybridization washings. Specificity is typically the function of post-hybridization washes, the critical factors being the ionic strength and temperature of the final wash solution. For nucleic acid hybrids, the T_m can be approximated from the equation of Meinkoth and Wahl, Anal. Biochem., 138: 267-284 (1984): $T_m = 81.5\text{ }^{\circ}\text{C} + 16.6 (\log M) + 0.41 (\% \text{ GC}) - 0.61 (\% \text{ form}) - 500/L$; where M is the molarity of monovalent cations, % GC is the percentage of guanosine and cytosine nucleotides in the nucleic acid, % form is the percentage of formamide in the hybridization solution, and L is the length of the hybrid in base pairs. The T_m is the temperature (under defined ionic strength and pH) at which 50% of a complementary target sequence hybridizes to a perfectly matched probe. T_m is reduced by about 1 $^{\circ}\text{C}$ for each 1 % of mismatching; thus, the hybridization and/or wash conditions can be adjusted to hybridize to sequences of the desired identity. For example, if sequences with > 90% identity are sought, the T_m can be decreased 10 $^{\circ}\text{C}$. Generally, stringent conditions are selected to be about 5 $^{\circ}\text{C}$ lower than the thermal melting point (T_m) for the specific sequence and its complement at a defined ionic strength and pH. However, severely stringent conditions can utilize a hybridization and/or wash at 1,2,3, or 4 $^{\circ}\text{C}$

lower than the thermal melting point (T_m); moderately stringent conditions can utilize hybridization and/or wash at 6, 7, 8, 9, or 10 °C lower than the thermal melting point (T_m); low stringency conditions can utilize a hybridization and/or wash at 11, 12, 13, 14, 15, or 20 °C lower than the thermal melting point (T_m). Using the equation,

5 hybridization and wash compositions, and desired T_m , those of ordinary skill will understand that variations in the stringency of hybridization and/or wash solutions are inherently described. If the desired degree of mismatching results in a T_m of less than 45 °C (aqueous solution) or 32 °C (formamide solution) it is preferred to increase the SSC concentration so that a higher temperature can be used. An extensive guide to the

10 hybridization of nucleic acids is found in Tijssen, *Laboratory Techniques in Biochemistry and Molecular Biology—Hybridization with Nucleic Acid Probes*, Part I, Chapter 2" Overview of principles of hybridization and the strategy of nucleic acid probe assays", Elsevier, New York (1993); and *Current Protocols in Molecular Biology*, Chapter 2, Ausubel, et al., Eds., Greene Publishing and Wiley-Interscience, New York (1995).

15 In another aspect, the invention provides oligonucleotide probes for the generic detection of target RNA or DNA. The detection probes herein are selected to be "substantially" complementary to one of the strands of the double stranded nucleic acid generated by an amplification reaction of the invention. Preferably the probes are substantially complementary to the immobilizable, e.g. biotin labelled, antisense strand

20 of the amplicons generated from the target RNA or DNA.

It is allowable for detection probes of the present invention to contain one or more mismatches to their target sequence. In general, sequences that exhibit at least 65%, more preferably at least 80% homology with the target oligonucleotide sequences are considered suitable for use in a method of the present invention.

25 Antibodies, both monoclonal and polyclonal, can also be used for detection purpose in the present invention, for example, in immunoassays in which they can be utilized in liquid phase or bound to a solid phase carrier. In addition, the monoclonal antibodies in these immunoassays can be detectably labeled in various ways. A variety of immunoassay formats may be used to select antibodies specifically reactive with a

30 particular protein (or other analyte). For example, solid-phase ELISA immunoassays are routinely used to select monoclonal antibodies specifically immunoreactive with a protein. See Harlow and Lane, *Antibodies, A Laboratory Manual*, Cold Spring Harbor Publications, New York (1988), for a description of immunoassay formats and conditions that can be used to determine selective binding. Examples of types of immunoassays

that can utilize antibodies of the invention are competitive and non-competitive immunoassays in either a direct or indirect format. Examples of such immunoassays are the radioimmunoassay (RIA) and the sandwich (immunometric) assay. Detection of the antigens using the antibodies of the invention can be done utilizing immunoassays that
5 are run in either the forward, reverse, or simultaneous modes, including immunohistochemical assays on physiological samples. Those of skill in the art will know, or can readily discern, other immunoassay formats without undue experimentation.

Antibodies can be bound to many different carriers and used to detect the
10 presence of the target molecules. Examples of well-known carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, agaroses and magnetite. The nature of the carrier can be either soluble or insoluble for purposes of the invention. Those skilled in the art will know of other suitable carriers for binding monoclonal antibodies, or will be able to
15 ascertain such using routine experimentation.

The invention also provides a method for serologically diagnosing an EMCR-CoV virus infection of a mammal comprising determining in a sample of said mammal the presence of an antibody specifically directed against an EMCR-CoV virus or component thereof by reacting said sample with a proteinaceous molecule or fragment thereof or an
20 antigen according to the invention

Methods and means provided herein are particularly useful in a diagnostic kit for diagnosing an EMCR-CoV virus infection, be it by virological or serological diagnosis. Such kits or assays may for example comprise a virus, a nucleic acid, a proteinaceous molecule or fragment thereof, an antigen and/or an antibody according to the invention.

25 Use of a virus, a nucleic acid, a proteinaceous molecule or fragment thereof, an antigen and/or an antibody according to the invention is also provided for the production of a pharmaceutical composition, for example for the treatment or prevention of EMCR-CoV virus infections and/or for the treatment or prevention of atypical pneumonia, in particular in humans. Preferably a peptide comprising part of the amino acid sequence
30 of the spike protein as depicted in the relevant translations of sequences E and F of figure 3, is used for the preparation of a therapeutic or prophylactic peptide. Also preferably, a protein comprising the amino acid sequence of the spike protein as depicted in the relevant translations of sequences E and F of figure 3, is used for the preparation of a sub-unit vaccine. Furthermore, the nucleocapsid of Coronaviruses, as

depicted in the translation of sequence F, in figure 3, is known to be particularly useful for eliciting cell-mediated immunity against Coronaviruses and can be used for the preparation of a sub-unit vaccine.

Attenuation of the virus can be achieved by established methods developed for this purpose, including but not limited to the use of related viruses of other species, serial passages through laboratory animals or/and tissue/cell cultures, serial passages through cell cultures at temperatures below 37°C (cold-adaption), site directed mutagenesis of molecular clones and exchange of genes or gene fragments between related viruses.

A pharmaceutical composition comprising a virus, a nucleic acid, a proteinaceous molecule or fragment thereof, an antigen and/or an antibody according to the invention can for example be used in a method for the treatment or prevention of an EMCR-CoV virus infection and/or a respiratory illness comprising providing an individual with a pharmaceutical composition according to the invention. This is most useful when said individual comprises a human. Antibodies against EMCR-CoV virus proteins, especially against the spike protein of EMCR-CoV virus, preferably against the amino acid sequence as depicted in translation 2 of sequence E and translation 1 of sequence F in figure 3, are also useful for prophylactic or therapeutic purposes, as passive vaccines. It is known from other coronaviruses that the spike protein is a very strong antigen and that antibodies against spike protein can be used in prophylactic and therapeutic vaccination.

The invention also provides method to obtain an antiviral agent useful in the treatment of atypical pneumonia comprising establishing a cell culture or experimental animal comprising a virus according to the invention, treating said culture or animal with an candidate antiviral agent, and determining the effect of said agent on said virus or its infection of said culture or animal. An example of such an antiviral agent comprises an EMCR-CoV virus-neutralising antibody, or functional component thereof, as provided herein, but antiviral agents of other nature are obtained as well.

The invention also provides use of an antiviral agent according to the invention for the preparation of a pharmaceutical composition, in particular for the preparation of a pharmaceutical composition for the treatment of atypical pneumonia, especially when caused by an EMCR-CoV virus infection, and provides a pharmaceutical composition comprising an antiviral agent according to the invention, useful in a method for the treatment or prevention of an EMCR-CoV virus infection or atypical pneumonia,

said method comprising providing an individual with such a pharmaceutical composition.

The invention also comprises an animal model usable for testing of prophylactic and/or therapeutic methods and/or preparations. It is hypothesized that apes can be
5 infected with the EMCR-CoV virus, thereby showing clinical symptoms, and more importantly, similar tissue morphology as found in humans suffering from atypical pneumonia caused by the EMCR-CoV virus. Subjecting apes to a prophylactic or therapeutic treatment either before or during infection with the virus will have a good and useful predictionary value for application of such a prophylaxis or therapy in
10 human subjects.

The invention is further explained in the Examples without limiting it thereto.

Figure legends

Fig. 1: Phylogenetic relationship for the nucleotide sequences of isolate EMCR-CoV with its closest relatives genetically. Phylogenetic trees were generated by maximum likelihood analyses using 100 bootstraps and 3 jumbles. The scale representing the number of nucleotide changes is shown for each tree. Figure 1a. Maximum likelihood tree of matrix gene nucleotide sequences. Numbers in trees represent bootstrap values. The scale bar roughly reflects 10 % nucleotide differences between related sequences. Figure 1b. Maximum likelihood tree of nucleocapsid gene nucleotide sequences. Numbers in trees represent bootstrap values. The scale bar roughly reflects 10 % nucleotide differences between related sequences.

Fig. 2: Similarity matrix indicating the nucleotide and amino acid identity for the putative Matrix protein (2a and 2b resp.) and for the putative Nucleoprotein (2c and 2d resp.) between the EMCR-CoV virus and closely related coronaviruses. See text for abbreviations.

Fig. 3: Nucleotide sequences from parts of the EMCR-CoV virus. Also included are the putative polypeptide sequences of polypeptides and alignments of the putative polypeptides with that of another member of the Coronaviridae family, where possible (mostly HCoV-229E).

Examples

Specimen collection

Virus was collected from an 8 month old patient suffering from pneumonia using nasal
5 swabs.

Virus isolation and culture

Throat swabs were dipped into a culture of tMK cells and passaged four times. Virus
was then in Vero-118 cells. One litre of virus containing cell culture supernatant was
10 harvested, and the virus was pelleted in an ultracentrifuge and the virus pellet was
resuspended in 1ml PBS.

RNA isolation

RNA was isolated from the supernatant of infected cell cultures or sucrose gradient
15 fractions using a High Pure RNA Isolation kit according to instructions from the
manufacturer (Roche Diagnostics, Almere, The Netherlands).

Sequencing

Purified RNA was sent to BaseClear holding BV (Leiden, The Netherlands) for
20 sequencing.

Phylogenetic analyses

Nucleotide sequences were aligned using Clustal W running under BioEdit version
5.0.9. Maximum likelihood trees were created using the Seqboot and DNA-ML packages
25 of Phylip 5.6 using 100 bootstraps and 3 jumbles. The consensus trees were calculated
using the Consense package of phylip 5.6. These consensus trees were used as usertree
in DNA-ML to recalculate the branch lengths from the original sequences.

The sequences of EMCR-CoV were compared with those of reference viruses
30 representing each species in the four groups of coronaviruses. These were: human
coronavirus 229E (229E), af304460; porcine epidemic diarrhea virus (PEDV) af353511;
transmissible gastroenteritis virus (TGEV), aj271965; bovine coronavirus (BoCoV),
af220295; murine hepatitis virus (MHV), af201929; avian infectious bronchitis virus
(AIBV), m95169, Canine coronavirus (CaCoV), d13096; feline coronavirus (FeCoV),

ay204704; porcine respiratory coronavirus (PRCoV), z24675; human coronavirus OC43 (OC43), m76373, l14643, m933990; porcine haemagglutinating encephalomyelitis virus (HEV), ay078417; rat coronavirus (RtCoV) af 207551) References for the viruses are the numbers of the NCBI catalog (<http://www.ncbi.nlm.nih.gov/entrez/>).

5

In general, coronaviruses, such as EMCV-CoV can be isolated and identified according to the following protocol:

Specimen collection

In order to find virus isolates nasopharyngeal aspirates, throat and nasal swabs, broncho alveolar lavages, serum and plasma samples, and stools preferably from mammals such as humans, carnivores (dogs, cats, mustelids, seals etc.), horses, ruminants (cattle, sheep, goats etc.), pigs, rabbits, birds (poultry, ostriches, etc) should be examined. From birds cloaca swabs and droppings can be examined as well. Sera should be collected for immunological assays, such as ELISA, molecular-based assays, such as RT-PCR and virus neutralisation assays.

15

Collected virus specimens may be diluted with 5 ml Dulbecco MEM medium (BioWhittaker, Walkersville, MD) and thoroughly mixed on a vortex mixer for one minute. The suspension is thus centrifuged for ten minutes at 840 x g. The sediment is spread on a multispot slide (Nutacon, Leimuiden, The Netherlands) for immunofluorescence techniques, and the supernatant is used for virus isolation.

20

Virus isolation

For virus isolation Vero-118 cells or tMK cells (RIVM, Bilthoven, The Netherlands) were cultured in 24 well plates containing glass slides (Costar, Cambridge, UK), with the medium described below supplemented with 10% fetal bovine serum (BioWhittaker, Vervier, Belgium). Before inoculation the plates were washed with PBS and supplied with Eagle's MEM with Hanks' salt (ICN, Costa mesa, CA) supplemented with 0.52/liter gram NaHCO_3 , 0.025 M Hepes (Biowhittaker), 2 mM L-glutamine (Biowhittaker), 200 units/liter penicilline, 200 $\mu\text{g/liter}$ streptomycine (Biowhittaker), 1gram/liter lactalbumine (Sigma-Aldrich, Zwijndrecht, The Netherlands), 2.0 gram/liter D-glucose (Merck, Amsterdam, The Netherlands), 10 gram/liter peptone (Oxoid, Haarlem, The Netherlands) and 0.02% trypsin (Life Technologies, Bethesda, MD). The plates were inoculated with supernatant of the patient samples, 0,2 ml per well in triplicate, followed by centrifuging at 840x g for one hour. After inoculation the plates were

30

incubated at 37 °C for 1-7 days and cultures were checked daily for CPE. Extensive CPE was generally observed within 5-10 and included detachment of cells from the monolayer..

5 *Virus culture*

Sub-confluent monolayers of tMK cells or Vero clone 118 cells in media as described above were inoculated with supernatants of samples that displayed CPE or with samples taken from a patient.

10 *RNA isolation*

RNA was isolated from the supernatant of infected cell cultures or sucrose gradient fractions using a High Pure RNA Isolation kit according to instructions from the manufacturer (Roche Diagnostics, Almere, The Netherlands). RNA can also be isolated following other procedures known in the field (*Current Protocols in Molecular Biology*).

15

Sequence analysis

Sequence analyses were performed as follows: Purified viral RNA (500ng) was converted to cDNA using the SuperScript Choice system (Invitrogen Corp., Carlsbad, CA) by random priming according to the manufacturer's instructions. Blunt-ended,
20 doublestranded cDNA fragments were size-selected on agarose gel to include fragments ranging from 750bp to 4kb. Following purification by spin column (Zymo Research, Orange, CA), cDNA fragments were ligated into pSMART-HCAmp (Lucigen Corp., Middleton, WI). The resulting library was electroporated into DH10B ElectroMAX cells (Invitrogen Corp., Carlsbad, CA), and inserts were amplified from individual colonies
25 using pSMART AmpL1 and AmpR1 primers. PCR fragments were sequenced using BigDye 3.1 chemistry and run on a ABI3730 machine (Applied Biosystems, Foster City, CA).

30

18.11.2003

Claims

(68)

1. An isolated essentially mammalian positive-sense single stranded RNA virus (EMCR-CoV) comprising one or more of the sequences of figure 3.
5
2. An isolated positive-sense single stranded RNA virus (EMCR-CoV) belonging to the Coronaviruses and identifiable as phylogenetically corresponding thereto by determining a nucleic acid sequence of said virus and testing it in phylogenetic tree analyses wherein maximum likelihood trees are generated using 100 bootstraps and 3
10 jumbles and finding it to be more closely phylogenetically corresponding to a virus isolate having the sequences as depicted in figure 3 than it is corresponding to a virus isolate of PEDV (porcine epidemic diarrhea virus), HCoV-229E (human coronavirus 229E), PRCoV (porcine respiratory coronavirus), TGEV (transmissible gastroenteritis virus), CaCoV (Canine coronavirus) and FeCoV (feline coronavirus).
15
3. A virus according to claim 1 or 2 wherein said nucleic acid sequence comprises an open reading frame (ORF) encoding a viral protein of said virus.
4. A virus according to claim 3 wherein said open reading frame is selected from the
20 group of ORFs encoding the viral replicase, nucleocapsid protein, matrix protein or the spike protein.
5. A virus according to claim 1-4 isolatable from a human with respiratory tract disease such as, but not limited to, atypical pneumonia.
25
6. An isolated or recombinant nucleic acid or EMCRCoV virus-specific functional fragment thereof obtainable from a virus according to anyone of claims 1 to 5.
7. A vector comprising a nucleic acid according to claim 6.
30
8. A host cell comprising a nucleic acid according to claim 6 or a vector according to claim 7.

9. An isolated or recombinant proteinaceous molecule or EMCR-CoV virus-specific functional fragment thereof encoded by a nucleic acid according to claim 6.
10. An antigen comprising a proteinaceous molecule or EMCR-CoV virus-specific functional fragment thereof according to claim 9.
11. An antibody specifically directed against an antigen according to claim 10.
12. A method for identifying a viral isolate as an EMCR-CoV virus comprising reacting said viral isolate or a component thereof with an antibody according to claim 11.
13. A method for identifying a viral isolate as an EMCR-CoV virus comprising reacting said viral isolate or a component thereof with a nucleic acid according to claim 6.
14. A method for virologically diagnosing an EMCR-CoV infection of a mammal comprising determining in a sample of said mammal the presence of a viral isolate or component thereof by reacting said sample with a nucleic acid according to claim 6 or an antibody according to claim 11.
15. A method for serologically diagnosing an EMCR-CoV infection of a mammal comprising determining in a sample of said mammal the presence of an antibody specifically directed against an EMCR-CoV virus or component thereof by reacting said sample with a proteinaceous molecule or fragment thereof according to claim 9 or an antigen according to claim 10.
16. A diagnostic kit for diagnosing an EMCR-CoV infection comprising a virus according to anyone of claims 1 to 5, a nucleic acid according to claim 6, a proteinaceous molecule or fragment thereof according to claim 9, an antigen according to claim 10 and/or an antibody according to claim 11.
17. Use of a virus according to any one claims 1 to 5, a nucleic acid according to claim 6, a vector according to claim 7, a host cell according to claim 8, a proteinaceous

- molecule or fragment thereof according to claim 9, an antigen according to claim 10, or an antibody according to claim 11 for the production of a pharmaceutical composition.
18. Use according to claim 17 for the production of a pharmaceutical composition for the treatment or prevention of an EMCRC-CoV virus infection.
19. Use according to claim 17 or 18 for the production of a pharmaceutical composition for the treatment or prevention of atypical pneumonia.
20. A pharmaceutical composition comprising a virus according to any one of claims 1 to 5, a nucleic acid according to claim 6, a vector according to claim 7, a host cell according to claim 8, a proteinaceous molecule or fragment thereof according to claim 9, an antigen according to claim 10, or an antibody according to claim 11.
21. A method for the treatment or prevention of an EMCRC-CoV virus infection comprising providing an individual with a pharmaceutical composition according to claim 20.
22. A method for the treatment or prevention of atypical pneumonia comprising providing an individual with a pharmaceutical composition according to claim 20.
23. A viral replicase encoded by an RNA sequence comprising the sequences A, B, C, D, E and/or F, or homologues thereof as depicted in figure 3.
24. A viral spike protein comprising the amino acid sequence depicted as a translation of (part of) sequences E and F as depicted in figure 3, or a homologue thereof.
25. A viral nucleocapsid encoded by an RNA sequence comprising a translation of (part of) the sequence F as depicted in figure 3 or a homologue thereof.
26. A viral nsp 3 or envelope protein encoded by an RNA sequence comprising a translation of (part of) the sequence F as depicted in figure 3.

27. A nucleic acid sequence which comprises one or more of the sequences A to F as depicted in figure 3 or a nucleic acid sequence which can hybridise with any of these sequences under stringent conditions.

18.11.2003

Abstract

(68)

The invention relates to the field of virology. The invention provides a new isolated essentially mammalian positive-sense single stranded RNA virus (EMCR-CoV) within the group of coronaviruses and components thereof.

Figure 1.





Figure 3

RNA sequences, implied polypeptides and alignment with one close relative

1. Sequence A

3762 Nucleotides encoding part of Replicase

```

ATTCGTTCTATAGATAGAGAATTTTCTTATTTAGACTTTGTGTCTACTCCTCTCAACTAAACGAAATTTTCTAG
TGCTGTCAATTTGTTATGGCAGTCCTAGTGTAATTTGAAATTTCTGCAAGTTTGTAACCTGGTTAGGCAAGTGTGTG
ATTTTCTGTGTTTAAAGCACTGGTGGTCTGTCCACTAGTGCACACATTGATACTTAAGTGGTGTCTGTCACTGC
TTATTGTGGAAGCAACGTTCTGTGCTTGTGGAAACCAATAACTGCTAACCATGTTTTACAATCAAGTGACACTTG
CTGTTGCAAGTGATTCCGAAATTTTCAAGGTTTGGTFTTGGCATTCTTCTGTAGCCGTTCCGCGCTTATAGCGAAG
CCGCTGCACAAGGTTTTTCAAGCATGCCGCTTGTGTGCTTTTGGCTTACAGGATTGTGTAACCGGTATTAATGATG
ACGATTATGTCATTGCACTGACTGGTACTAATCAGCTTTGTGCCAAAATTTTACTTTTTTCTGATAGACCTCTTA
ATTTGCGAGGTTGGCTCATTTTTTCTAACAGCAATTATGTTCTTTCAGGACTTTGATGTTGTTTTTGGCCATGGTG
CAGGAAGTGTGGTTTTTGTGGATAAGTATATGTGTGGTTTTGATGGTAAACCTGTGTACCTAAAAACATGTGGG
AATTTAGAGATTACTTTAATGATAATACTGATAGTATTGTTATTGGTGGTGTCACTTATCAATTAGCATGGGATG
TTATACGTAAAGACCTTTCTTATGAACAGCAAAATGTTTGTAGCTATTGAGAGCATTCAATTATCTTGGCACTACAG
GTCATACTTTGAAGTCTGGTTGCAAACTCATTAATGCCAAGCCGCTAAATATTCTTCTAAGGTTGTTTTGAGTG
GTGAATGGAATGCTGTGTATAAGGCGTTTGGTTTACCATTATTACAAATGGTATATCATTTGCTAGATATAATTG
TTAAACCAGTTTTCTTTAATGCTTTTGTAAATGCAATTGTGGTTCTGAGAATTGGAGTGTGTTGGTGCATGGGATG
GTTATCTATCTTCTTGTGTGGCACACCTGCTTAAAGAACTTTGTGTGTTGTTCTCGGTAATGTTGTTCTCGGTGATG
TGATCATCACTCAACTGATGCTGGTTGTGGTGTAAATACTATGCTGGCTTAGTTGTTAAACATATTACTAACA
TTACTGGTGTGCTTTATGGCGTGTACAGCTGTTTATTCTGATGGAATGTTGTGGCAACATCTTCTTATGATG
CACTTTTGCATAGAAATTCATTAGACCTTTTGTGCTTTGATGTTAAACCTTTACTTTCTAATCAATTACGTTAG
CTTTTCTTGGTGTCTTCTGTACAGAAGATGTTAAATTTGCTGCTAGCACTGGTGTATTGAACATTAGTGCTGGTA
TGTTTGGTCTTTTACGATGACATATTGACAAACAATAAACCTTGGTTGTACGCAAGCTTCTGGGCTTTTGTGATG
CAATCTGGGATGCTTTTGTGCGCTATTAAAGCTTGTGCCAAGCTACTACTGGTGGTTTGGTTAGGTTTGTAAAGT
CTATCGCTTCAACGTGTTTTAACTGTTTCTAATGGTGTATTATTATGTGTGCAGATGTTCCAGATGCTTTTCAAC
CAGTTTACCGCACATTTACACAAGCTATTGTGCTGCTGCTTGTGTTTCTTTAGATGATTTTAAATTTGGTGATG
TTAAATTTTAAACGACTTGGTGATTATGTTCTTACTGAAAATGCTCTTGTTCGTTTGAAGTGTGTTTCGTG
GTGTTCTGTGATGCTCGCATAAAGAAAGCCATGTTTACTAAAGTAGTTGTAGGTCCTACAACCTGAAGTTAAGTTTT
CTGTTATTGAAGTTGCCACTGTTAATTTGCGTCTTGTGATGTTGTGCACCTGTAGTTTGGCCCTAAAGGTAAGTTT
TGTTATTGCTGGACAAGCTTTTTCTATAGTGGTGGTTTTATCGTTTATGGTTGATTCTCAACATGCTATTAA
ATGACCCCTGTTTTTACTGGTGAGTTATTTTATACTATTAAGTTTGTAGTGGTTTTAAGCTTGTATGGTTTTAACCATC
AGTTTGTGTTACATGTGTGTTGATGTTGTAGTGTCAATTGTTAGACGTGATGCTACATTCGCCACACATGTGT
TTTTTAAGGACTGTTATAGTATTTGGGAGCAATCTGCAATTGATAATTGTGGTGAGCCATGGTTTTTGAAGTATT
ATAATGCTATCTTGCAGAGTAATAACCTCAATGTGCTATTGTTCAAGCATCGGAGTCTAAAGTTTTGCTTGGAGA
GGTTTTTACCTAAGTGCTCTGAAGTACTGTTGAGTATTGATGATGGCCATTTATGGAATCTTTTTGTTGAAAAGT
TTAATTTTGTACAGATTGGTTAAAACTCTTAAGCTTACACTTACTTCTAATGGTCTTTTAGGTAATTGTGCCA
AACGTTTTTAGACGTGTTTTGGTAAATTTGCTTGATGCTATAATGGTTTTCTTGAAACTGTCTGTAGTGTGCTAC
ACACTGCTGGTGTGTCATTAAATATTATGCTGTTAATGTTCCATATGTAGTTATTAGTATTTTGTAGTATGTTATAG
TAATTCGTAGAGAAAGGTGTGACGTGACTTTTCTTGTGTTAGTTGTGTCACTTTTTCTATGAATTTTTAGACA
CGTGTTTTGGTGTAGTAAACCTAATGCCATTGATGTTGAACATTTAGAGCTTAAAGAACTGTTTTTGTGTAAC
CTAAGGATGGTGGTCAATTTTTGTTTTCTGATGATTATCTTTGGTATGTTGTAGATGACATTTATTATCCAGCTT
CATGTAATGGTGTATTGCCAGTTGCTTTTACAAAATTGGCAGGTGGTAAATATCTTTTTCTGATGATGTTATAG
TTCATGATGTTGAACCTACCCATAAAGTCAAGCTCATATTTGAGTTTGAAGATGATGTTGTTACCAGTCTTTGTA
AGAAGAGTTTTGGTAAGTCTATTATTTATACAGGTGATTGGGAAGGTTTACATGAAGTTCTTACATCTGCAATGA
ATGTCATTGGGCAACATATTAAAGTTGCCACAATTTTATATTTATGATGAAGAGGGTGGTTATGATGTTTCTAAAC
CAGTTATGATTTCACAATGGCCTATTAGTGATGATAGTATGGTTGTGTGTTGAAGCGAGCACTGATTTTTCATC
AATTAGAATCTGTTAGAGAAGAGGTTGATATAATTGAACAACCTTTTGGGGAAGTTGAACATGCGCTCTCAATTA
GACAACCTTTTTCTTTTTCTTTTAGAGATGAATTGGGTGTTGTTGTTTATGATCAATCTGATAATAATTGTTGGA
TTAGTACCACACTTATACAGTTGCAACTTACAAAGCTTTTGGATGATTTCTATTGAGATGCAATTGTTTAAAGTTG
GTAAAGTTGATTTCAATTGTTTCAAAAGTGTATGAGTTGTCTCATTTAATTAGTGGTTCACTTGGTGATAGTGGTA
AACTTCTTAGTGAACCTCTTAAAGATAAATATACATGTTCTATAACTTTTGAGATGCTTTGTGATTGTGGTAAAA
AGTTTGTATGAGCAAGTTGGTTGTTTGTGTTTGGATTATGCTTACACAAAACCTTTTCAAAAAGGTGAGAACGAATT
CAGCTGTTCTCG

```

Putative ORFs

>-out: 140 to 310: Frame 2 57 aa

ASVVSFVKHWWFCPLVHTLILKWSVTAYCGSNVLSLWKPIANHVLQSSDTCCCK

>-out: 267 to 3761: Frame 3 1165 aa

LLTMFYNQVTLAVASDSEISGFGFAIPSAVAVRAYSEAAAQGFQACRFVAFGLQDCVGTGINDDDYVIALTGTNQL
 AKILLFSDRPLNLRGWLIFSNSNYVLQDFDVVFGHAGSVVFDKYMCGFDGKPVLPKNMWEFRDYFNDNTDSI
 IGGVITYQLAWDVIRKDLSEYEQQNVLAIESIHYLGTTGHTLKSCKLINAKPPKYSSKVLSGEWNAVYKAFGSP
 ITNGISLLDIIVKPVFFNAFVKCNCSENVSVGAWDGYLSSCCGTPAKKLCVVPGNVPGDVIIITSTDAGCGVK
 5 YAGLVVKHITNITGVSLWRVTAVHSDGMFVATSSYDALLHRNSLDPFCFDVNTLLSNQLRLAFLGASVTEDEVKE
 ASTGVIDIISAGMFGLYDDILTNNKPWFVRKASGLFDAIWDAFVAAIKLVPTTTGGLVRFVKSIASTVLTVSNGV
 IMCADVPDAFQPVYRTFTQAICAAFDLSLVFKIGDVKFRLGDDYVLTENALVRLTTEVVRGVRDARIKKAMFT
 VVVGPTTEVKFVSIELATVNLRLVDCAPVVCCKGKIIVVIAGQAFFYSGGFYRFMVDSTTVLNDPVFTGELFYTI
 10 FSGFKLDGFNHQFVNASSATDAIIAPELLLSDFKTAVFVYTCVVDGCSVIVRRDATFATHVCFKDCYSIWEQFC
 DNCGEFVFLTDYNAILQSNPQCAIVQASESKVLLERFLPKCPEVLLSIDDGHLWNLFVEKFNFTDWLTKLKL
 LTNGLLGNCAKFRFRLVKLLDVYNGFLETVCVVHTAGVCIKYAVNPVYVVISGFSVSRVIRRCDDVTFPC
 SCVTFFFEFLDTCFVSKPNAIDVEHLELKVLFEFEDDVVTSCLKKSFGKSIITYGDWEGLHEVLTAMNVIGQHIKLPQFY
 YDEEGGYDVSKPVMISQWPISDDSDGCVVEASTDFHQLSESVREEVDIIIEQPFGEVEHALSIRQPFSSFRDELG
 15 RVLQSDNNCWISTTLIQLQLTKLLDDSIEMQLFKVGVKVDIVQKCYELSHLISGSLGDSGKLLSELLKDKYTC
 ITFMSDCGKKFDEQVGCLEFWIMPYTKLFKKVRTNSAVL
 >~out: 472 to 738: Frame 1 89 aa
 LVLISFVPKFFFLIDLICEVGSFFLTAIMFFRTLMLFLAMVQEVWFLWISICVVLMLVNLCLYKTCGNLEITL
 IILIVLLLVVSLIN
 20 >~out: 973 to 1125: Frame 1 51 aa
 LLNQFSMLLLNNAIVVLRIGVLVHGMVIYLLVVAHLRNFVLFVLMFLVM
 >~out: 2026 to 2316: Frame 1 97 aa
 MTLFLLVSYFILLSLVLSLMLVLTISLLMLVLLQMPLLLLSCCYRILKLQFLCTHVWLMVVVSLLDVMLHSPHM
 25 VLRTVIVFGSNSALIIVVSHGF

Alignment

>gi|281286|pir|S28600 hypothetical protein 1a - human coronavirus
 gi|59491|emb|CAA49377.1| ORF1a [Human coronavirus 229E]
 30 Length = 4086
 Score = 882 bits (2280), Expect = 0.0
 Identities = 470/1159 (40%), Positives = 675/1159 (58%), Gaps = 7/1159 (0%)
 Frame = +3
 35 Query: 276 MFYVTLAVASDSEISGFGFAIPSAVAVRAYSEAAAQGFQACRFVAFGLQDCVGTGINDD 455
 M N+VTLAVASDSEIS G + + AVR YSEAA+ GF+ACRFV+ LQDC+ GI DD
 Sbjct: 1 MACNRVTLAVASDSEISANGCSTIAQAVRRYSEASNGFRACRFVSLDLQDCIVGIADDT 60
 40 Query: 456 YVIALTGTNQLCAKILLFSDRPLNLRGWLIFSNSNYVLQDFDVVFG-HGAGSVVFDKYM 632
 YV+ L G L I+ FSDRP L GWL+FSNSNY+L++FDVVF G G+V + D+Y+
 Sbjct: 61 YVMGLHGNQTLFCNIMKFSRPFMLHGWLVFSNSNYLLEEDDVVFGKRGGNVYTTDQYL 120
 45 Query: 633 CGFDGKPVLPKKNMWEFRDYFNDNTDSIVIGGVITYQLAWDVIRKDLSEYEQQNVLAIESIHY 812
 CG DGKPV+ +++W+F D+F +N + I+I G TY AW RK L Y++QN LAIE I Y
 Sbjct: 121 CGADGKPVMSLEDLWQFVDHFGEN-EEIINGHTYVCAWLTKRKPLDYKRQNNLAIEIEY 179
 Query: 813 L-GTTGHTLKSCKLINAKPPKYSSKVLSGEWNAVYKAFGSPFITNGISLLDIIVKPVF 989
 + G HTL++G L AK K SSKVLS + +YK FGSP +TNG ++L+ KPVF
 50 Sbjct: 180 VHGDALHTLRNGSVLEMAKEVKTSSKVLS DALDKLYKVEGSPVMTNGSNILEAFTKPVF 239
 Query: 990 FNAFVKCNCSENVSVGAWDGYLSSCCGTPAKKLCVVPGNVPGDVIIITSTDAGCGVKYY 1169
 +A V+C CG+++WSVG W G+ SSCC + KLCVVPGNV PGD +IT+ AG G+KY+
 55 Sbjct: 240 ISALVQCTCGTKSWSVGDWTFKSSCCNVISNKL CVVPGNV KPGDAVITTTQAGAGIKYF 299
 Query: 1170 AGLVVKHITNITGVSLWRVTAVHSDGMFVATSSYDALLHRNSLDPFCFDVNTLLSNQLRL 1349
 G+ +K + NI GVS+WRV A+ S FVA+S++ H N +D FCF+V- +++++RL
 Sbjct: 300 CGMTLKFVANIEGVSVVRVIALQSVDCFVASSTFVEREHVNRMDTFCFNVRSVTDCECL 359
 60 Query: 1350 AFLGASVTEDEVKFAASTGVIDISAGMFGLYDDILTNNKPWFVRKASGLFDAIWDAFVAAI 1529
 A LGA +T +V+ ++GVIDIS G F +YDDI +KFWVRKA +F W A +A+
 Sbjct: 360 AMLGAEMTSNVRQVAGSVVIDISTGWFDVYDDIFAESKPWFVRKAEDIFGPCWSALASAL 419
 65 Query: 1530 KLVPTTTGGLVRFVKSIASTVLTVSNGVIIMCADVPDAFQPVYRTFTQAICAAFDLSLV 1709
 K + TTG LVRVFKSI ++ + V G I + A VP+ F + F AI FD +++
 Sbjct: 420 KQLKVTGELVRFVKSICNSAVAVVGTTIQLASVPEKFLNAFDVFTAIQTVFDCAVET 479
 Query: 1710 FKIGDVKFRLGDDYVLTENALVRLTTEVVRGVRDARIKKAMFTKVVVGPTTEVKFVSIEL 1889
 I F ++ DYVL +NALV+L T ++GVR+ + K + VVVG T EVK S +E
 70 Sbjct: 480 CTIAGKAEDKVFVYLLDNALVKLVTTTKLKGVRERGLNKVKYATVVVGSTEEVKSSRVER 539

8/25

Fig 3. (cont)

Query: 1890 ATVNLRLVDCAPVVC PKGKIVVIAGQAFFYSGGFYRFMVDSTTVLNDPVFTGELFYTIKF 2069
 +T L + + + +G VVI A+F S G++R M +VL V+ + +
 5 Sbjct: 540 STAVLTIANNYSKLFDEGYTVVIGDVAYFVSDGYFRLMASPNSVLTAVYKPLFAFNVNV 599

Query: 2070 SGFKLDGFNHQFVNASSATDAIIA VELLLSDFKTAVFVYTCVVDGCSVIVRRDATPATHV 2249
 G + + F V + A++ V ++F+ Y+ V +IV+ + + +
 Sbjct: 600 MGRPEKF-PTTVTCENLES AVL FVNDKITEFQ---LDYSIDVIDNEIIVKPNISLCVPL 655

10 Query: 2250 CFKDCYSIWEQFCIDNCGEFWFLTDYNAILQSNNPQCAIVQASESKVLLERFLPKCPEVL 2429
 +D W+ FC E WF DY A + + A V+A+ESK ++ +P CP +L
 Sbjct: 656 YVRDVKWDDFCRQYSNESWFEDDYRAFISVLDTDAAVKAAESKAFVDITVPPCPSIL 715

15 Query: 2430 LSIDDGHLWNLFVEKFNFVTDWXXXXXXXXXXXXXXXXXXXXCAKRFRRVLVKLLDVYNGFLET 2609
 ID G +WN ++ N V DW CAKRF+R L LL+ YN FL+T
 Sbjct: 716 KVIDGGKIWNQVIKNVNSVRDWLKS LKLNLTQQGLLGTC AKRFKRWL GILLEYNAFLDT 775

Query: 2610 VCSVVHTAGVCIKYAVNVYPVVISGFVSRVIRRECD--VTFPCVSCVTFYFELDTCF 2783
 V S V G+ K YA + PY+VI V +V + + FP + F F
 20 Sbjct: 776 VVSTVKIGGLTFKTYAFDKPYIVIRDIVCKVENKTEAEWIELFPHNDRIKSFSTFESAYM 835

Query: 2784 GVSKPNAIDVEHLELKETVFVEPKDGGQFFVSDDYLVYVDDIYYPASCNGVLPVAF TKL 2963
 ++ P D+E +EL + FVEP GG V D++++Y D +YYP++ +LPVAF TK
 25 Sbjct: 836 PIADPTHFDIEEVELLDAEFVEPCGGILAVIDEHVFKKDGVIYPSNGTNILPVAF TKA 895

Query: 2964 AGGKISFSDDVI VHDVEPTHKVKLIFEFEEDDVVTS LCKKSFGKSI IYTGDEWGLHEVLTS 3143
 AGGK+SFSDDV V D+EP ++VKL FEFED+ + +C+K+ GK I + GDW+ + + S
 Sbjct: 896 AGGKVSFSDDVEVKDIEPVYRVLKCFEFEDKLV D VCEKAIGKKIKHEGDWDSFCKTIQS 955

30 Query: 3144 AMNVIGQHIKLPQFYIYDEEGGYDVSKPVMISQWPIS---DSDGCVVEASTDFHQLESV 3314
 A++V+ ++ LP +YIYDEEGG D+S PVMIS+WP+S + + + + D ++ V
 Sbjct: 956 ALSVVSCYVNLPTYIYDEEGGNDLSLPVMISEWPLSVQQAQQEATLPDIAEDV--VDQV 1013

Query: 3315 REEVDIIEQPFGEVEHALSIRQFFSFSFRDELGVRVLDQSDNNCWISXXXXXXXXXXXXX 3494
 E I + +V+H +S PF F + G+++L Q DNNCW++ D
 35 Sbjct: 1014 EEVNSIFDIETVDVKHDVS---PFEMPFEELNGLKILKQLDNNCWVNSVMLQIQLTGILD 1070

Query: 3495 DSIEMQLFKVGKVD SIVQKCYELSHLIXXXXXXXXXXXXXXXXXXXXXYTC SITFEMSCDCGK 3674
 MQ FK+G+V ++++CY I +T + + C C
 40 Sbjct: 1071 GDYAMQFFKMGRVAKMIERCYTAEQCIRGAMGDVGLCMYRLLKDLHTGFMVMDYKCSCTS 1130

Query: 3675 KFDEQVGC LFWIMPYTKLF 3731
 E+ G + + P K F
 45 Sbjct: 1131 GRLEESGAVLFCTPTTKAF 1149

2. Sequence B

1610 nucleotides encodes part of replicase

50 TTTCTGCCTATGGAGGTCAGGTATGATTTAAATGGTCAGTATTGAGCGATATCTAGAGAATTCGTCTGAAAATGG
 TATTCCACTTATGCCTCTTCTTAGTTGTGGTATTTTGGTGTAAAGGATTGAAAATCTCTTAAAGCTTTGTTTAG
 TTGTGACATTAATAAACCATTCGAAGTTTTTGTATTCTTCAAATGAAGAACAAGCTGTTCTTAAAGTTTTTGA
 TGGTTTTAGATTTAACACCAGTCATTGACGATGTTGATGTTGTTAAACCTTTTAGAGTTGAAGGTAATTTTTCATT
 CTTTGATTGTGGTGTCAATGCCCTTGGATGGTGATATTTACTTATTATTACTTAACCTCTATTTTAATGTTGGATAA
 55 ACAAGGACAATTATTGGACACAAAACCTTAATGGTATTTTGCAACAGGCAGTTCCTTGATTATCTTGCTACAGTTAA
 AACTGTACCAGCTGGTAATTTGGTTAAACCTGTTGTTGAGAGTTGTACCATTATATGTGTGTTGTACCATCGAT
 AAATGATCTTTCTTTTGATAAAAATCTTGGTCGTTGTGTGCGTAAACCTTAATAGATTGAAAACCTTGTGTTATTGC
 CAATGTTCTCTGCTATTGATGTTTTGAAAAGCTTCTTTCAAGTTTGACTTTAACTGTTAAATTTGTTGTAGAGAG
 60 TAATGTTATGGATGTTAACGACTGTTTTAAGAATGATAATGTAGTTTTGAAAATTACTGAAGATGGTATTAATGT
 TAAAGATGTTGTTGTTGAGTCTTCTAAGTCACCTGGTAAACAATTTGGGTGTTGTGAGTGATGGTGTGACTCTTT
 TGAAGGTGTTTTTACCTATTAATACTGATACTGTCTTATCTGTAGCTCCAGAAGTTGACTGGGTTGCTTTTACGG
 TTTTGAAAAGGCAGCACTTTTTGCTTCTTTGGATGTAAAGCCATATGGTTACCCTAATGATTTTGTGGTGGTTT
 TAGAGTTCTTGGGACCACCGACAATAATTGTTGGGTTAATGCAACTTGTATAATTTTACAGTATCTTAAGCCTAC
 65 TTTTAAATCTAAGGGTTTAAATGTTCTTTGGAACAAATTTGTTACAGGTGATGTTGGACCTTTTGTAGTTTTAT
 TTATTTTATAACTATGCTCTTCAAAGGGTCAAAGGGTGATGCTGAAGAGGCATTATCTAAATTTGTGAGATATTT
 GATTAGTGATTCTATTGTTACTCTTGAACAATATTCAACTTGTGACATTTGTAAAAGTACTGTAGTTGAAGTTAA
 AAGTGCTGTTGTCTGTGCTAGTGTGCTTAAAGATGGTTGTGATGTTGGTTTTTGTCCACACAGACATAAATTCGG
 TTCACGTGTTAAGTTTGTAAATGGACGTGTTGTTATTACCAATGTTGGTGAACCTATAATTTACAACCTTCTAA
 70 GTTGCTTAATGGTATTGCTTATACAACATTTTCAAGTTCTTTTGATAACGGTCACATGTAGTTTATGATGCTGC
 TAATAATGCTGCTATGATGGTGTCTGTTTTATTGCTTCAGATTTGTCTACTTTAGCTGTTACAGCTATTGTTGT
 AGTAGGTGGTTGTGTAACATCTAATTTCCACAACG

Putative ORfs

>-out: 32 to 1609: Frame 2 526 aa
 MVSIERYLENSENSENGIPLMPLLLSCGIFGVRIENSLKALFSCDINKPLQVFVYSSNEEQAVLKFLDGLDLTPVID
 5 VDVVKPFRVEGNFSFFDCGVNALDGDIIYLLFTNSILMLDKQGQLLDTKLNGILQQAVLDYLATVKTVPAGNLVK
 VVESCTIYMCVVPSINDLSFDKNLGRVCVRKLNRLKTCVIANVPAIDVLKLLSSLTLTVKFFVESNMVDVNDCE
 NDNVVLKITEDGINVKDVVVESSKSLGKQLGVVSDGVDSFEGVLPINTDTVLSVAPEVDWVAFYGFKAALFAS
 DVKPYGYPNDFVGGFRVLGTTDNNCWVNATCIIILQYLKPTFKSKGLNVLWNKFVTGDVGPFVFSFIYFITMSSKG
 KGDAEEALSCLSEYLISSIVTLEQYSTCDICKSTVVEVKSAVVCASVLKDGCDVGFCPHRHKLRSRVKFNNGR
 10 VITNVGEPIISQPSKLLNGIAYTTFSGSFDNGHYVVYDAANNAVYD GARLFASDLSTLAVTAIVVVGCVTSNF
 N
 >-out: 366 to 524: Frame 3 53 aa
 CWINKDNYWTQNLMMVFCNRQFLIILLQLKLYQLVIWLNLLLRVVPFICVLYHR

Alignment

15 >gi|12175747|ref|NP_073549.1| replicase polyprotein 1ab [Human coronavirus 229E]
 gi|30179827|sp|Q05002|R1AB_CVH22 Replicase polyprotein 1ab (pp1ab) (ORF1ab polyprotein) [Includes:
 Replicase polyprotein 1a (pp1a) (ORF1a)] [Contains: p9;
 p87; p195 (Papain-like proteinases 1/2)
 (PL1-PRO/PL2-PRO); Peptide HD2; 3C-like proteinase
 20 (3CL-PRO) (3CLp) (M-PRO) (p84); Unknown protein 1; p5;
 p23; p12; Growth factor-like peptide (GFL) (p16);
 RNA-directed RNA polymerase (RdRp) (Pol) (p100); Helicase
 (Hel) (p66) (p66-HEL); Unknown protein 2; p41; Unknown
 protein 3]
 25 gi|12082740|gb|AAG48591.1| replicase polyprotein 1ab [Human coronavirus 229E]
 Length = 6758
 Score = 429 bits (1104), Expect = e-119
 Identities = 233/535 (43%), Positives = 323/535 (60%), Gaps = 18/535 (3%)
 30 Frame = +2
 Query: 41 IERYLENSENSENGIPLMPLLLSCGIFGVRIENSLKALFSCDINKPLQVFVYSSNEEQAVLK 220
 I+ Y ++E G PL P+LSCGIFG+++E SL+ L K ++VFVY+ E V F
 35 Sbjct: 1372 IKAYNTINNEQGTPLTPIILSCGIFGIKLETSLEVLDDVCNTKEVKVFVYTDTEVCKVKDF 1431
 Query: 221 LDGLDLTPVIDD-----VDVVK----PFRVEGNFSFFDCGVNAL-DGDIYLLFTNSIL 364
 + GL ++ V V+K P+RV+G FS+F + + D +LFT+S+L
 Sbjct: 1432 VSGLVNVQKVEQPKIEPKVSVIKVAPKPYRVDGKFSYFTEDLLCVADDKPIVLFTDSML 1491
 40 Query: 365 MLDKQGQLLDTKLNGILQQAVLDYLATVKTVPAGNLVVKLVVESCTIYMCVVPSINDLSFD 544
 LD +G LD L+G+L A+ D + K +P+GNL+K + S +YMCVVPS D D
 Sbjct: 1492 TLDDRGLALDNALSGVLSAAIKDCVDINKAIPSGNLIKFDIGSVVVMCVVPSEKDKHLD 1551
 45 Query: 545 KNLGRVCVRKLNRLKTCVIANVPAIDXXXXXXXXXXXXXFFVESNMVDVNDCEFKNDNVVL 724
 N+ RC RKLNL ++ +PA FV E + + +
 Sbjct: 1552 NNVQRCTRKLNRLMCDIVCTIPADYILPLVLSLTCNVSVFVGLKAAEAKV-----ITI 1605
 Query: 725 KITEDGINVKDVVVESSKSLGKQLGVVSDGVDSFEGVLP--INTDTVLSVAPEVDWVAFY 898
 K+TEDG+NV DV V + KS +Q+GV++D G +P +NT +L+ A +VDWV FY
 50 Sbjct: 1606 KVTEDGVNVHDVTVTDDKSFEGVQGVVADKDKDLSGAVPSDLNTSELLTKAIDVDWVEFY 1665
 Query: 899 GFKAALFASLDVKPYGYPNDFVGGFRVLGTTDNNCWVNATCIIILQYLKPTFKSKGLNVL 1078
 GF+ A FA++D + Y + V G RVL T+DNNCWVNA CI LQY KP F S+GL+
 55 Sbjct: 1666 GFKDAVTFATVDHSAFAYESAVVNGIRVLKTSDDNNCWVNAVCIALQYSKPHFISQGLDAA 1725
 Query: 1079 WNKEVTDVGDPFVSEIYFITMSSKGQKGAEEALSCLSEYLISSIVTLEQYSTCDIC-- 1252
 WNKFV GDV FV+F+Y++ KG KGDAE+ L+KLS+YL +++ V LE YS+C C
 Sbjct: 1726 WNKFVLGDVEIFVAFVYYYVARLMKGDKGDAEDTLTKLSKYLANEAQVQLEHYSSCVCEDA 1785
 60 Query: 1253 --KSTVVEVKSAVVCASVLKDGCDVGFCPHRHKLRSRVKFNNGRVVITNVGEPIISQPSK 1426
 K++V + SA+VCASV +DG VG+C H K SRV+ V GR +I. +V + S+
 Sbjct: 1786 KFKNSVASINSAIVCASVKRDGVQVGYCVHGIIKYYSRVSRSVRGRAIIVSVEQLEPCAQSR 1845
 65 Query: 1427 LLNGIAYTTFSGSFDNGHYVVYDAANNAVYD GARLFASDLSTLAVTAIVVVGCV 1591
 LL+G+AYT FSG D GHY VYD A ++YDG R DLS L+VT++V+VGG V
 Sbjct: 1846 LLSGVAYTAFSGPVDKGHYTVYDTAKKSMYDGRFVKHDLSSLVTSVMVGGYV 1900

3. Sequence C

6017 nucleotides; Encodes part of Replicase

CGAGAACAGCTTGGATTTCGTTATTTGGTTATCTTGTATTTTGTAAATTTTGGTAAACGTATTTGCGTTTGGACTT
TTATATTTTGTGTCACAATTTATTAGTACTTTTGGTCTTTCTTAGGCTTTTCATCAGAAACAGTGGTTTTTACAT
5 TTTGTGCCGTTTGTATGTTTTATGTAATGAGTTTTAGCTaCATTTATTGTCTGCAAAATTGTTTTATTGTTAGA
CATATTATTGTTGGCTGTAATAATGCTGACTGTGTAGCTTGTCTAAAAGTGCTAGACTTAAACGTGTACCACCTT
CAAACATATTATTAATGGTATGCATAAATCATTTCTATGTTAATGCTAATGGTGGTACTTGTCTGTAATAAACAT
AACCTTCTTTGTGTTAATTGTGATTCTTTTGGGCTGGTAAATCTTTTATTAATGGTGATATTGCAAGAGAGCTT
GGTAATGTTGTTAAAACAGCTGTTCAACCCACAGCTCCTGCATATGTTATTATTGATAAGGTAGATTTTGTTAAT
10 GGATTTTATCGTCTTTATAGTGGTGACACTTTTGGCGGTATGACTTTGACATTACTGAATCTAAGTATAGTTGT
AAAGAGGTTCTGAAGAATTGTAATGTTTTAGAAAATTTTATTGTTTACAATAATAGTGGTAGTAACATTACACAG
ATTA AAAATGCTTGTGTTTTATTTTCTCAATGTTGTGTGAACCTATAAAGTTGGTAAATTCAGAGTTGTTGTGCA
ACTTTATCAGTTGATTTTAAATGGTGTTTTGCATAAGGCATATGTTGATGTTTTGTGTAATAGTTTTTTTAAAGGAG
CTAACTGCTAACATGTCCATGGCTGAATGTAAAGCTACACTTGGTTTGAAGTGTCTGATGATGATTTTTGTTTCA
15 GCTGTTGCCAATGCACATAGGTATGACGTTTTCGCTTTCAGATTGTCATTTAATAATTTTTTATTCTTATGCT
AAACCTGAAGATAAGTTGTCCGTTTATGACATTGCTTGTGTATGCTGCGGTCTAAGGTTGTTAACCAATAAT
GTTTTAATCAAGAGTCAATACCTATTGTTGGGGTGTCAAGGACTTTAATACTCTTCTCAAGAGGTAAGAAG
TACCTTGTAAAACAATAAGCAAAGGGTTGACTTTTTTATTAACCTTTAATGATAACCAAGCAATTACACAA
GTTCTGTCTACTAGTATAGTTGCAAAACAGGGTGTGGTTTTAAACGTACTTATAATTTCTGTGGTATGTATGT
20 TTAATTTGTTGTTGCATTGTTTATTGGTGTCTCATTTATTGATTATACAACCACTGTAAGTACTGTTTCATGGTTAT
GATTTTAAGTACATTGAGAATGGTCAGTTGAAGGTGTTTGAAGCACCTTTACACTGTGTCTAATGTTTTTGGAT
AATTTTAATCAATGGCATGAGGCTAAGTTTGGTGTGTTACTACTAATAGTGATAAATGTCCATATAGTTGTTGGT
GTTTCAGAGCGTATTAATGTTGTTCCTGGTGTTCACAAATGTATATTTGGTAGGAAAGACTCTTGTTTTTTACA
TTACAGGCTGCTTTTGGAAACACAGGTGTTTGTATGACTTTGATGGTGTACCACTAGTGATAAGTGTATTTT
25 AATCTGCTGTGACTAGGTTGGAAGGTTGGGTGTGACAATGTTTATTGTTTACAACACTGATCTTATTGTAAGGT
TCTAAACCTTATAGTATTTTACAGCCCAATGCTTATTATAAGTATGATGTTAAAAATTATGTACGTTTTTCAGAA
ATTTTAGCTAGAGGTTTTGGCTTACGTACTATTAGAACCTTTGGCTACACGTTATTGTAGAGTTGGTGAATGCCGT
GACTCACATAAAGGTGTTTGTTTTGGTTTTGATAAATGGTATGTTAATGATGGACGTGTTGATGACGGTTACATT
TGTGGTGTATGGTCTTATAGACCTTCTGTTAATGTACTCTCAATCTTAGTTCATCTTTTAGCGTTGTGGCTATG
30 TCTGGACATATGTTGTTTAAATTTCTTTTTTGCACAKATTATACATTTTTTGTGCTTTTATGTTACTAAATTTAAA
CGTGTTTTTGGTGATCTTCTTATGGTGTTTTTACTGTTGTTTGTGCAACTTTGATTAAATAACATTTCTTATGTT
GTTACTCAAAATTTATTTTTTATGTTGCTTTTATGCTATTTTGTATTTTGTTTTTACTAGGACAGTGCCTTATGCT
TGGATTTGGCATATTGCATACATTGTTGCATCTTCTGTTAATAACCATGGTGGCTTCTCACATGGTTTAGTTTT
35 GCTGCATTTTAGAGCTTTTACCTAATGTTTTTAAAGTTAAATAATCTCTACTCAATGTTTGAAGGTGATAAGTTT
ATAGGTACTTTTGAAGTGCTGCTGCAGGTACATTTGTTCTTGACATGCGTCTTATGAAAGGCTGATAAATACT
ATTTACCTGAGAACTTAAAGAAATATGCTGCAAGTTATAATAAATATAAATATTTATAGTGGTAGTGCTAGTGAG
GCTGATTATCGTTGTGCTTGTATGCTCATTTAGCCAAAGGCTATGTTAGATTACGCAAAAGATCATAATGACATG
TTATATTTCTCCACCTACCAATTAGCTACAATTTCCACCTTACAATCTGGTCTTAAGAAGATGGCACAACCATCTGGT
40 TGTGTTGAGAGATGTGTGGTTTCGCGTCTGTTATGGTAGTACTGTGCTTAATGGAGTTTGGTTAGGTGACACTGTT
ACTTGTCTTAGACATGTCATAGCACCATCAACCACTGTTCTTATTGATTATGATCATGCATATAGTACTATGCGT
TTGCATAATTTTTCAGTGCTCTCATAATGGTGTCTTCTTGGGAGTTGTTGGTGTACAAATGCATGGTTCTGTGTTG
CGTATTTAAGCTTTTCACAATCTAATGTACATACACCTAAACATGTTTTTAAACGTTTGAACCTGGTGTCTCTTTT
AATATTTAGCATTTATGAAGGTATTGCATCTGGTGTTTTTGGTGTAAATTTACGTACAACTTTACTATAAAA
45 GGTCTTTTATAAATGGAGCTTGTGGTCTCTCTGTTTATAATGTTAGAAATGATGGTACTGTTGAGTTTTGTTAT
TTACACCAAAATTGAGTTAGGTAGTGGTGTCTGATTTTACTGGTAGTGTTTATGGTAATTTTGAT
GACCAACCTAGTTTGAAGTTGAGAGTGCCAACTTATGCTATCAGATAATGTTGTGCTTTTTGTATGCTGCT
TTGTTGAATGTTAGGTGGTGGTGGTTCCTCACTAGAGTTAATGTTGATGGTTTGAATGAATGGGCTATGGCT
AATGGTTATACAATGTTTCTAGTGTGAGTGCTATTCTATTTTGGCAGCAAAACCTGGTGTAGTGTGAACAA
50 TTGTTAGCTTCCATTCACATCTTCATGAAGGTTTTGGTGGTAAACATACTTGGTTATTCTAGTTTATGTGAT
GAGTTACACTAGCTGAAGTTGTGAAGCAGATGTATGGTGTAACTTGCAAGTGGTAAGGTTATTTTTGGTTTA
AAAACAATGTTTTTATTTAGCGTTTTCTTCAATGTTTTGGGCAGAACTCTTTATTTTATACAAACACTATATGG
ATAAACCTGTTATACCTTACACCTATATTTTGTTTACTTTTGTTTTTGTCTATTAGTTTAACTATGTTTCTTAAA
CATAGTTTTTGTTTTTGAAGTATTTTTTATTACCTACTGTTATTGCAACTGCTTTATATAATGTGTTTTGGAT
TATTACATAGTAAAAATTTTGGCTGACCATTTTAACTATAATGTTTCAGTATTACAAATGGATGTTTCAAGGTTA
55 GTTAATGTTTTGCTGTTTTATTTGTTGTTTTTACACATGGCGTTTTCTTAAAGAACGTTTACACATTTGG
TTTACATATGTGTGTTCTCTTATAGCAGTTGCTTACACTTATTTTTATAGTGGTGACTTTTTTGGTATTGCTTGT
ATGTTTTTATGTGCTATATCTAGTGATTGGTACATTGGTGCCATGTTTTTAGGTTGTACAGTTTGATTATATTT
TTTTACCTGAAAGTGATTTTAGTGTTTTTGGTGATGTGAAACTCACTTTAGTTGTTTTATTTAATTTGTGGTTAT
TTAGTTTGTACTTTATTTGGGCAATTTTGTATTGGTTCAaTAGGTTTTTAAATGTACTATGGGTGTTTATGATTTT
60 AAGTGAGTGTCTGCTGAATTTAAATACATGGTTGCTAATGGACTTTCATGCACCATATGGACCTTTTGATGCACTT
TGGTTATCATTTCAAATTACTTGGTATTGGTGGTGACCGTTGTATAAAAAATTTCAACTGTCCAATCCAACTGACT
GATTTGAAGTGTAATGTTGTGTTATTGGGTTGTTTGTCTAGTATGAACATTGCAGCTAATTTAGTGAATGG
GCTTATTGTGTTGATTTACACAATAAGATTAATCTTTGTGATGACCCAGAAAAAGCTCAAGGTATGTTGTTAGCA
CTCCTTGGTCTTTCTAAGTAAACATAGTATTGTTGCTTGTATGGCCTTATTGATTTCTATTTTATGATAATAGT
65 AGCACCTGTCAGAGTGTGCTTTCATCATTTTGTATTAGTATGCCATCATATATTGCTTATGAAAATGCTAGACAAGCT
TATGAGGATGCTATTGCTAATGGATCTTCTCTCAACTTATTAACAATGAAGCGTGCCATGAATATCGCAAAG
TCTGAATTTGATCATGAGATATCTGTTTCAAGAAAATTAATAGAATGGCTGAACAAGCTGCTACTCAGATGTAT
AAGAAGCACGCTCTGTTAATAGAAAATCTAAAGTTATTAGTGCTATGCACCTTTTACTTTTTGGAATGTTAAGA

CGTTTGGATATGTCTAGTGTGAAACTGTTTGAATTTAGCACGTGATGGTGTGTGCCATTGTTCAGTTATACC
 GCAACTTCAGCTTCCAACTAATACTATTGTTAGTCCAGATCTTGAATCTTATCTAAGATTGTTTGTGATGGTTC
 GTTCATTATGCTGGAGTTGTTTGGACACTTAATGATGTTAAAGACAATGATGGTAGACCTGTTTCATGTTAAAGA
 ATTACAAGGGGAGAATGTTGAAACTTTGACATGGCCTCTTATCCTTAATTGTGAACGTGTTGTTAAACTTCAAAA
 5 AATGAAATTATGCCTGGTAACTTAAGCAAAAACCTATGAAAGCTGAGGGGTGATGGTGGTGTGTTTAGGTGATGC
 AATGCTTTGTATAATACTGAGGGTGGTAAACTTTTATGTATGCTTATATTTCTAATAAAGCTGACCTTAAATI
 GTTAAGTGGGAGTATGAGGGTGGTGCACACAATCGAGTTAGACTCTCCTTGTGCGATTATGGTTCGAAACACC
 AATGGTCCCTCAAGTGAAGTATTTGTATTTTGTAAAAATTTAAATACCTTACGTAGAGGTGCCGTTCTTGGTTT
 10 ATAGGTGCCACAATTTCGTCTACAAGCTGGTAAACAACTGAATTGGCTGTTAATTCTGGACTTTTAACTGCTTG
 GCTTTTCTGTTGATCCAGCAACCACTTACTTGAAGCTGTAAACATGGTGCAAAACCTGTAAGTAATTGTAT
 AAGATGTTATCTAATGGTGTGCTGGTAATGGTCAAGCTATAACAACCTAGTGTAGATGCTAACACCAATCAAGATTC
 TATGGTGGAGCGTCTATTTGTTTGTATTGTCTGGGCCACGTTCTCACCCTAGTATGGATTACTGTAAAGTT
 AAGGGTAAATGTGTTTCAAGTTTCTATTGGTTGTTTGGATCCTATTAGGTTTGTGTTAGAAAATAATGTGTGTAA
 15 GTTGTGTTGTTGGTGGGACACGGGTGTGCTTGTGATCGTACAACCATTCAAAGTGTGACATTCTTATTTA
 ACGAACGATCAAGCTGT

Putative ORFs

20 >~out: 55 to 5997: Frame 1 1981 aa
 TYLRFGLLYFVAQFISTFGSFLGFHQKQWFLHFVFPDVLCEFLATFIVCKIVLFVRHIIIVGCNNADCVACSKS:
 RLKRVPLQTIINGMHKSFYVNNANGGTCFCNKNHFFCVNCDSEFGPGNTFINGDIARELGNNVKTAVQPTAPAYVI:
 DKVDFVNGFYRLYSAGDTFWRYDFDITESKYSCKEVLKNCNVLENFIVYNNSGSNITQIKNACVYFSQLLCEPIK
 25 VNSSELLTSLVDFNGVLHKAAYVDVLCNSFFKELTANMSMAECKATLGLTVSDDDFVSANAHRYDVLLSDLSFI
 NFFISYAKPEDKLSVYDIACCMRAGSKVVNNHNLVLIKESIPVWGVKDFNTLSQEGKKYLVTTKAKGLTFLFTFI
 DNQAITQVPATSIIVAKQAGGFKRTYNFLWYVCLFVVALFIVGSFIDYTTTTSFHHGYDFKYIENGQLKVFEAPLI
 CVRNVFDNFNQWHEAKFGVVTNSDKCPIVGVVSEIRINVPVGPVPTNVYLVGKTLVFTLQAAFGNTGVGYDFDGV:
 TSDKCIENFSACTRLGLGDNVYCYNTDLIEGSKPSYILQPNAYYKYDVKNYVRFPEILARGFGLRTIRTLATR:
 CRVGECDRSHKGVCFGFDKWYVNDGRVDDGYICDGLIDLLVNLVLSIFSSSFVSVAMSGHMLFNFLFAXFITFL:
 30 FLVTKFKRVFVGLSYGVFTVVCATLINNISYVVTQNLFFMLLYAILYFVFTRTVRYAWIWHIAYIVAYFLLIPWI
 LLTWFSFAAFLELLPNVFKLKISTQLFEGDKFIGTFESAAAGTFVLDMRSYERLINTISPEKLKNYAASYNKYK:
 YSGSASEADYRCACYAHLAKAMLDYAKDHNDMLYSPPTISYNSTLQSGLKMAQPSGCVVERCVVRVYCYGSTVLN:
 VWLGDVTVCPRHVIAPSTTVLIDYDHAYSTMRLHNFVSHNGVFLGVGVTHMGSVLRKIVSQSNVHTPKHVFK:
 LKPGASFNILACYEGIASGVFGVNLRTNFTIKGSFINGACGSPGYNVRNDGTVEFCYHLQIELGSGAHVGSDFTC
 35 SVYGNFDDQPSLQVESANMLSDNVVAFLYAALLNGCRWWLRSTRVNVVDGFNEWAMANGYTTIVSSVECYSLAAI
 TGSVEQLLASIQHLHEGFGGKNILGYSSLCEFTLAEVVKQMYGVNLQSGKVI FGLKTMFLFSVFFTMFWAELI
 IYNTNTIWINPVILTPIFCLLLFLSLVLTMTFLKHKFLFLQVFLVIALALYNVLDYIIVKFLADHFNYNVSVI
 QMDVQGLVNLVCLFVFLHTWRFSKERFTHWFTYVCSLIAVAYTYFYSGDFLSLLVMFLCAISSDWIYGAIVFI
 40 LSRLIIFFSPESVFSVFGDVKLTLVYLICGYLVCTYWGILYWFNRFFKCTMGVYDFKVSAAEFKYMVANGHLHAI
 YGPFDDLWLSFKLLGIGGDRICKISTVQSKLTDLKTNNVLLGLCLSSMNIAANSSEWAYCVDLHNKINLCCDPER
 AQGMFLALLAFLLSKHSDFGLDGLIDSYFDNSSTLQSVASSFSMPYSIAYENARQAYEDAIANGSSSQLIKQLK
 RAMNIAKSEFDHEISVQKKINRMAEQATQMYKEARSVNRSKSVISAMHSLLFGMLRRLDMSSTVTLNLARDGV
 VPLSVIPATSASKLTIVSPDLESYSKIVCDGSHYAGVWVTLNDVKDNDGRPVHVKEITRENVETLTWPLILNCE
 RVVKLQNNIMPGLKQKPMKAEGDGGVLGDGNALYNTEGGKTFMYAYISNKADLKFKVWEYEGGCNTIELDSPC
 45 RFMVETPNGPQVKYLYFVKNLNLTLRGAVLGFIGATIRLQAGKQTELAVNSGLLTACAFSVDPATTYLEAVKHGA
 KPVSNCKIMLSNGAGNGQAITTSVDANTQDSYGGASICLYCRAHVPHPSMDGYCKFKGKCVQVPIGCLDPIRFC
 LENNVNVCNVCWLGHCACDRITTIQSVLILI
 >~out: 263 to 511: Frame 2 83 aa
 LVLKVLIDLVYHFKLLMLMVCINHSMLMLMVVLVSVINITSFVLIVILLGLVILLMLVILQESLVMMLLKQLFNPQL
 50 LHMLLLIR
 >~out: 875 to 1054: Frame 2 60 aa
 LFLMMILFQLLPMHIGMTFCFQICHLIIFLFLMLNLKISCPFMTLLVVCVPVLRLLTIMF
 >~out: 1556 to 1804: Frame 2 83 aa
 ERLLFLHYRLLELTQVFVMTLMVLPLVISVFLILLVLGWKVWVVTMFIVTTLILLKVLNLIVFYSPMLIISMMLK
 55 IMYVFQKF
 >~out: 1808 to 1966: Frame 2 53 aa
 LEVLAYVLELWLVHIVELVNAVTHIKVFVLVLINGMLMMDVLMVTVTFVVMVL
 >~out: 2600 to 2761: Frame 2 54 aa
 ITQKIIMTCYILHLPLATIPPYNLVLRRWHNLVVLRDVWFASVMVVLCLMEFG
 60 >~out: 2798 to 2980: Frame 2 61 aa
 HHQPLFLLIMIMHIVLCVCIIFQCLIMVSSWELLVLQCMVLCCVLRFNHLMYIHLNMFELKR
 >~out: 4595 to 4774: Frame 2 60 aa
 VNIVILVLMALLILILIIIVAPCRVLLHLLVCHHILLMKMLDKLMRMLLLMDLLILNLNN
 >~out: 4790 to 4945: Frame 2 52 aa
 65 ISQSLNLMRYLFRRKLIENLNLKLLRCIKKHALLIENLKLVLCTLYFLEC
 >~out: 5048 to 5200: Frame 2 51 aa
 LLLVQILNLILRLFVMVLFIMLELFGLHMLMLKTMVLDLMLKRLQGRMLKL

Fig 3. (cont)

12/25

>~out: 5753 to 5905: Frame 2 51 aa
MLTPIKILMVERLFCVIGPTFLTLVWMVTVSLRVNVFRFLLVVWILLGFV

5 Alignment

>gi|12175747|ref|NP_073549.1| replicase polyprotein 1ab [Human coronavirus 229E]
gi|30179827|sp|Q05002|R1AB CVH22 Replicase polyprotein 1ab (pp1ab) (ORF1ab polyprotein) [Includes:
Replicase polyprotein 1a (pp1a) (ORF1a)] [Contains: p9;
p87; p195 (Papain-like proteinases 1/2)
10 (PL1-PRO/PL2-PRO); Peptide HD2; 3C-like proteinase
(3CL-PRO) (3CLp) (M-PRO) (p34); Unknown protein 1; p5;
p23; p12; Growth factor-like peptide (GFL) (p16);
RNA-directed RNA polymerase (RdRp) (Pol) (p100); Helicase
15 (Hel) (p66) (p66-HEL); Unknown protein 2; p41; Unknown
protein 3]
gi|12082740|gb|AAG48591.1| replicase polyprotein 1ab [Human coronavirus 229E]
Length = 6758

20 Score = 2840 bits (7361), Expect = 0.0
Identities = 1350/1997 (67%), Positives = 1609/1997 (80%), Gaps = 4/1997 (0%)
Frame = +1

Query: 10 LDSLEFVILVFCNFW*TYLRFGLLYFVAQFISTFGSFLGFHQKQWFLHFPFDVLCNEFLA 189
+ V+++ F YLR LLYFVAQ IST G FLG+ + WFLHF+PFDV+C+E L
25 Sbjct: 2076 MQPFIVMVLILLIFGDNYLRCLLYFVAQMISTVGVFLGYKETNWFHLHFIPFDVICDELLV 2135

Query: 190 TFIVCKIVLFVRHIIIVGCNNADCVACSKSARLKRVPLOTTIINGMHKSFYVNANGGTCFCN 369
T IV K++ FVRH++ GC N DC+ACSKSARLKR P+ TI+NG+ +SFYVNANGG+ FC
30 Sbjct: 2136 TVIVIKVISFVRHVLFGCENPDCIACSKSARLKRFPVNTIVNGVQRSFYVNANGGSKFCK 2195

Query: 370 KHNFFCVNCDSFGPGNTFINGDIARELGNNVKTAVQPTAPAYVIIDKVDFVNGFYRLYS 549
KH FFCV+CDS+G G+TFI +++RELGN+ KT VQPT PAYV+IDKV+F NGFYRLYS
35 Sbjct: 2196 KHRFFCVDCCSYGYGSTFITPEVSRELGNITKTINVQPTGPAYVMIDKVEFENGFYRLYS 2255

Query: 550 DTFWRYDFDITESKYSCKEVLKNCNVLENFIVYNNSGSNITQIKNACVYFSQLLCEPIKL 729
+TFWRY+FDITESKYSCKEV KNCNVL++FIV+NN+G+N+TQ+KNA VYFSQLLC PIKL
Sbjct: 2256 ETFWRYNFDITESKYSCKEVFKNVCNVLDFFIVFNNNGTNTVQVKNASVYFSQLLCEPIKL 2315

Query: 730 VNSELLSTLSVDFNGVLHKAYVDVLCNSFFKELTANMSMAECKATLGLTVSDDDFVSAVA 909
V+SELLSTLSVDFNGVLHKAY+DVL NSF K+L ANMS+AECK LGL++SD +F SA++
40 Sbjct: 2316 VDELLSTLSVDFNGVLHKAYIDVLRNSFGKDLNANMSLAECKRALGLSISDHEFTSAIS 2375

Query: 910 NAHRYDVLLSDLSFNFFISYAKPEDKLSVYDIACCMRAGSKVNVHNVLIKESIPVWGV 1089
NAHR DVLLSDLSFNFF SYAKPE+KLS YD+ACCMRAG+KVVN NVL K+ PIVW
45 Sbjct: 2376 NAHRCDVLLSDLSFNFFVSSYAKPEEKLSAYDLACCMRAGAKVVNANVLTQDQPIVWHA 2435

Query: 1090 KDFNTLSQEGKKYLKTKAKGLTFLTLFNDNQAITQVPATSIIVAKQGAGFK-RTYNFLW 1266
KDFN+LS EG+KY+VKT+KAKGLTFLLT N+NQA+TQ+PATSIIVAKQGAG + +LW
50 Sbjct: 2436 KDFNSLSAEGRKYIVKTSKAKGLTFLLTINENQAVTQIPATSIIVAKQGAGDAGHSITWLW 2495

Query: 1267 YVCLFVVAL-FIGVSFIDYTT--TVTSFHGYDFKYIENGQLKVFAPLHCVRNVDNFNQ 1437
+C V + F F+ Y V+SF GYDFKYIENGQLK FEAPL CVRNVF+NF
55 Sbjct: 2496 LLCGLVCLIQFYLCFFMPYFMYDIVSSFEYDFKYIENGQLKNFEAPLKCVRNVFENFED 2555

Query: 1438 WHEAKFGVVTNSDKCPIVVGVSERINVVPVPTNVYLVGKTLVFTLQAAFGNTGVCYDF 1617
WH AKFG N CPIVVGVS +N V G+P+NVYLVGKTL+FTLQAAFGN GVCYD
Sbjct: 2556 WHYAKFGFTPLNKQSCPIVVGVSERINVTVAGIPSNVYLVGKTLIFTLQAAFGNAGVCYDI 2615

Query: 1618 DGVTTSDKCIFNSACTRLEGLGGDNVYCYNTDLIEGSKFYSLQPNAYYKYDVKNYVRF 1797
GVTT +KCIF SACTRLEGLGG+NVYCYNT L+EGS PYS +Q NAYYKYD N+++ P
60 Sbjct: 2616 FGVTTPEKCIFTSACTRLEGLGGNVYCYNTALMEGSLPYSSIQANAYYKYDNGNFILP 2675

Query: 1798 EILARGFGLRTIRTTLATRYCRVGECRDSHGKVCFGFDKWYVNDGRVDDGYICGDLIDXX 1977
E++A+GFG RT+RT+AT+YCRVGEC +S+ GVCFGFDKW+VNDGRV +GY+CG GL +
65 Sbjct: 2676 EVIAQGFGFRTVRTTIATKYCRVGECVESNAGVCFGFDKWVNDGRVANGYVCGTGLWNLV 2735

Query: 1978 XXXXXXXXXXXXXXXXAMSGHMLFNFLFAKFITFLCFLVTKFKRVFGDLSYGVTVCATLI 2157
AMSG +L N F F CFLVTKF+R+FGDLS GV TVV A L+
70 Sbjct: 2736 FNILSMFSSSFVAMSGQILLNCALGAFIFCCFLVTKFRRMFGDLSVGVCTVVAVLL 2795

Query: 2158 NNISYVVTQNLFFMLLYAILYFVFRTRVRYAWIWHIAYIVAYFLIPWWLLTWFSFAAFL 2337
NN+SY+VTQNL M+ YAILYF TR++RYAWIW AY++AY PWWL W+ A

Sbjct: 2796 NNVSIVTQNLVMTIAYAILYFFATRSLRYAWIWCAAYLIAYISFAPWWLCAWYFLAMLT 2855
 Query: 2338 ELLPNVFKLKISTOLFEGDKFIGTFESAAAGTFVLDMRSYERLINTISPEKLXXXXXXXX 2517
 LLP++ KLK+ST LFEGDKF+GTFESAAAGTFV+DMRSYE+L N+ISPEKL
 5 Sbjct: 2856 GLLPSLLKLKVSTNLFEQDKFVGTFESAAAGTFVIDMRSYEKLANISISPEKLKSYAASYN 2915
 Query: 2518 XXXXXXXXXXXX EADYRCACYAHLAKAMLDYAKDHNDMLYSPPTISYNSTLQSGLKMAQPS 2697
 EADYRCACYA+LAKAMLD+++DHND+LY+PPT+SY STLQ+GL+KMAQPS
 10 Sbjct: 2916 RYKYSGNANEADYRCACYAYLAKAMLDLDFSRDHNDILYTPPTVSYGSTLQAGLRKMAQPS 2975
 Query: 2698 GCVERCVVRVCYGSTVLNGVWLGDVTVCPRHVIAPSTTVLIDYDHAYSTMRLHNFSVSHN 2877
 G VE+CVVRVCY+TVLNG+WLGD V CPHVIA +TT IDYDH YS MRLHNFS+
 Sbjct: 2976 GFVEKCVVRVCYGNLTVLNGVWLGDIVYCPHVIASNTTSAIDYDHEYSIMRLHNFSIISG 3035
 Query: 2878 GVFLGVVGVTMHGSLVRLIKVSQSNVHTPKHVFKTLKPGASFNILACYEGIASGVFGVNLNR 3057
 FLGVVG TMHG L+IKVSQ+N+HTP+H F+TLK G FNILACY+G A GVEGVN+R
 Sbjct: 3036 TAFLGVVGATMHGVTLKI KVSQTNMHTPRHSFRTLKSGEGFNILACYDGCAGGVFGVNMNR 3095
 Query: 3058 TNFTIKGSPFINGACGSPGYNVRNDGTVEFCYLHQIELGSGAHVGSDFTGSGVYGNFDDQPS 3237
 TN+TI+GSFINGACGSPGYN++N G VEF Y+HQIELGSG+HVGS F G +YG F+DQP+
 20 Sbjct: 3096 TNWTIRGSPFINGACGSPGYNLKN-GEVEFVYMHQIELGSGSHVGSDFGVMYGGFEDQPN 3154
 Query: 3238 LQVESANMLSDNVVAFLYAAILNGCRWWLRSTRVNDGDFNEWAMANGYTI VSSVECYSI 3417
 LQVESAN ML+ NVVAFLYAA+LNGC WWL+ ++ V+ +NEWA ANG+T ++ + +SI
 25 Sbjct: 3155 LQVESANQMLTVNVVAFLYAAILNGCTWWLKGKLFVEHYNEWAQANGFTAMNGEDAFSI 3214
 Query: 3418 LAAKTGVSVQEQLLASIQHLHEGFGGKNILGYSSLCDEFTLAEVVKQMYGVNLQSGKVIFG 3597
 LAAKTGV VE+LL +IQ L+ GFGGK ILGYSSL DEF++ EVVKQM+GVNLQSGK
 30 Sbjct: 3215 LAAKTGVSVQEQLLASIQHLHEGFGGKNILGYSSLCDEFTLAEVVKQMYGVNLQSGKVIFG 3597
 LAAKTGVSVQEQLLASIQHLHEGFGGKNILGYSSLCDEFTLAEVVKQMYGVNLQSGKVIFG 3597
 Query: 3598 LKTMFLSVFFTFMFAELFIYTTNTIWINPVIXXXXXXXXXXXXXXXXXXXXXXKHKFLFLQVF 3777
 K++ LF+ FF MFWAELE+YT TIW+NP KHK LFLQVF
 Sbjct: 3275 FKSISLFAAGFFVMFAELEFYTTTTIWINPVXGFLTPFMILLVALSLCLTFVVKHKVFLQVF 3334
 Query: 3778 LLPTVIATALYNCLDYIVKFLADHFNYNVSVLQMDVQGXGXXXXXXXXXXXXXHTWRFK 3957
 LLP++I A+ NC DY++ K LA+ F+YNSV+QMD+QG HTWRF+K
 35 Sbjct: 3335 LLPSIIVAAIQNCADYHVTKVLAEKFDYNSVMQMDIQGFVNIFICLFAVLLHTWRFK 3394
 Query: 3958 ERFTHWFTYVCSLIAVAYTYFYSGDFLSLLVMFLCAISSDWYIGAIVERLSRLIIFFSPE 4137
 ER THW TY+ SLIAV YT YS D++SLLVM LCAIS++WYIGAI+FR+ R + F P
 40 Sbjct: 3395 ERCTHWCTYLFSLIAVLYTALYSYDVSLVMFLCAISNEWYIGAIIFERICRFGVAFLPV 3454
 Query: 4138 SVFSVFGDVKLTLVVYLICGYLVCTYWGILYWFNRFFKCTMGVYDFKVSAAEFKYMVANG 4317
 S F VK L+ Y++ G++ C Y+G+LYW NRP KCT+GVYDF VS AEFKYMVANG
 45 Sbjct: 3455 EYVSYFDGVKTVLLFYMMLGFSVMYGLLYWINRFCKCTLGVDVFCVSPAEFKYMVANG 3514
 Query: 4318 LHAPYGPFDALWLSFKLLGIGGDRICKISTVQSKLTDLKCTNVVLLGCLSSMNIAANSSE 4497
 L+AP GPFDAL+LSFKL+GIGG R IK+STVQSKLTDLKCTNVVLL+G LS+MNIA+NS E
 50 Sbjct: 3515 LNAPNGPFDALWLSFKLLGIGGDRICKISTVQSKLTDLKCTNVVLLGCLSSMNIAANSSE 4497
 Query: 4498 WAYCVDLHNKINL CDDPEKAQGMILLALLAFFLSKHSDFGLDGLIDSYFDNSSTLQSVASS 4677
 WAYCV++HNKINL CDDPE AQ +LLALLAFFLSKHSDFGL L+DSYF+N S LQSVASS
 Sbjct: 3575 WAYCVEMHNKINL CDDPEKAQGMILLALLAFFLSKHSDFGLDGLIDSYFDNSSTLQSVASS 4677
 Query: 4678 FVSMPSYIAYENARQAYEDAIANGSSSOLIKQLKRAMNIAKSEFDHEISVQKKINRMAEQ 4857
 FV MPS++AYE ARQ YE+A+ANGSS Q+IKQLK+AMN+AK+EFD E SVQKKINRMAEQ
 55 Sbjct: 3635 FVSMPSYIAYENARQAYEDAIANGSSSOLIKQLKRAMNIAKSEFDHEISVQKKINRMAEQ 4857
 Query: 4858 AATQMYKEARSVNRSKVISAMHSLFLGMLRRLDMSSVETVLNLARDGVVPLSVIPATSA 5037
 AA MYKEAR+VNRKSKV+SAMHSLFLGMLRRLDMSSV+T+LN+AR+GVVPLSVIPATSA
 60 Sbjct: 3695 AAAAMYKEARAVNRKSKVVSAMHSLFLGMLRRLDMSSVDTILNMARGVVPLSVIPATSA 3754
 Query: 5038 SKLTIVSPDLSESYSKI VCDGSVHYAGVVWTLNDVKDNDGRPVHVKEITRENVTETLWPLI 5217
 ++L +V PD +S+ K++ DG VHYAGVVWTL +VKDNDG+ VH+K++T+EN E L WPLI
 65 Sbjct: 3755 ARLVVVVDHDSFVKMMVDGFFHYAGVVWTLQEVKNDGKKNVHLKDVTKENQEILVWPLI 3814
 Query: 5218 LNCERVVKLQNNIIMPGLKQKPMKAEGDGGVLGDGNALYNTEGGKTFMAYISNKADLK 5397
 L CERVVKLQNNIIMPGLKQKPMKAEGDGGVLGDGNALYNTEGGKTFMAYISNKADLK
 70 Sbjct: 3815 LTCERVVKLQNNIIMPGLKQKPMKAEGDGGVLGDGNALYNTEGGKTFMAYISNKADLK 5397
 Query: 5398 FVKWEYEGGCNTIELDSPCRFMVETPNPGQVKYLYFVKNLNLTNRGAVLGFIGATIRLQA 5577
 +VKWE++ G T+EL+ PCR+TP GPQ+KYLYFVKNLNLTNRGAVLGFIGATIRLQA
 Sbjct: 3875 YVKWEHDSGVVTVLEPPCRFVIDTPTGPQIKYLYFVKNLNLTNRGAVLGFIGATIRLQA 5577
 Query: 5578 GKQTELVNLSGLLTACAFSVDPATTYLEAVKHGAKPVSNCKMLSNGAGNGQAITTSVDA 5757
 GKQTE NS LLT C+F+VDP YL+AVK GAKPV NC+KML+NG+G+QAIT ++D+

14125

10

5325 nucleotides; Replicase

15 TGGTTCGTCGCTTTTGCACATTTATAATAAAAAATGTTTCATTCTTGGGTAAGTGTGTTGAAGATGAACGTGCTTCGTTT
TAAAAATGCTGATCTTAAGGATGGTTATTTTGTATATAAAGAGGTGTACATAAGTCGGTTATGGAACACGAGCAATC
CATGTATAACCTACTTTAACTTTTCTGGTGCTTTTGGCTGAGCATGATTTCTTTACTTGGAAAGATGGCAGTCAT
TTATGGTAATGTTAGTAGACATAATCTTACTAAATATACATGATGGACTTGGTTTATGCTATGCGTAACCTTTGA
20 TGAACAAAATTTGTGATGCTCTAAAAAGAGTATTAGTFTTTAACTGGTGTGTTGTGACAATTCTTATTTTGATAGTAA
GGGTTGGTATGACCCAGTTGAAAAATGAAGATATACATAGAGTTTATGCATCTCTTGGCAAAATGTAGCTAGAGCA
TATGCTTAAATGCGTTGCTCTATGTGATGCGATGGTTGCTAAAGGTGTTGTGGTGTTTTAACTATTAGATAACCA
AGATCTTAAATGGTAACCTTTTATGATTTTGGTGATTTTGGTGTAGTTTACCTAATAATGGGTGTTCCCTGTTGTAC
ATCATATTATTTCTATATGATGCCTATTATGGTTTAACTAATTTGGTGTAGCTAGTGAGTGTTTTGTCAAGAGTGA
TATTTTGGTAGTGATTTTAAAACTTTTGTATTGCTTAAAGTATGATTTCACTGAACATAAAGAAAAATTTATTCAA
25 TAAGTACTTTAAGCATTTGGAGTTTTGATTATCATCCTAATTGTAGTGACTGTTTATGATGATATGTGTGTTTATACA
TTGTGCTAATTTTAAATACACTATTTGGCCACAACATACACAGGTAATGCTTTTGGTCCACTATGTCGTAAGTTT
TATAGATGGTGTTCCTTGTACAACGTCTGGTTATCATTTTAAAGCAATTAGGTTTGGTTTGGAAATAAAGATGT
TAACACACACTCAGTTAGGTTGACAATCACTGAACCTTTTGAATTTGTTACTGACCTTCTCTTGATAATAGCTTC
TTCTCCAGCACTCGTTGATCAACGCACATTTTGTCTTCTGTTGCAGCATTTGAGTACTGGTTTGACAAATCAAGT
30 TGTTAAGCCAGGTCAATTTTAAATGAAGAGTTTTATAAATTTCTTGGTTTAAAGAGTTTCTTTGATGAAGGTTCTGA
ACTTACATTTAAAACTTTCTTCTCGCACAGAATGGTGATGCTGCTGTGTTAAAGATTTTGACTTTTACCGTTATAA
TAAGCCTACCATTTTAGATATTTTGTCAAGCTAGAGTTACATATAAGATAGTCTCTCGTTATTTTGACATTTATGA
AGGTGGCTGTATTAAAGGCATGTGAAGTTGTTGTAAACAAATCTTAATAAGAGTGTCTGGTTGGCCATTAAATAAGTT
TGGTAAAGCTAGTTTGTATTACGAATCTATATCTTATGAAGAACAGGATGCTTTGTTGCTTTTGACAAAGCGTAA
35 TGTCTCTCTCTACTATGACACAGCTGAATCTTAAGATGCTTATTAGTGGTAAAGCAACGTGCTAGAAGTTGTGGTGG
TGTTTCTCTGTGTGTCACAGATGACCAAGAACAATACCATCAAAAACATCTTAAATCCATTGTTAATACACGCA
TGCCACTGTTGTTATTGGTACTACCAAATTTTATGGTGGTTGGAATAATATGTTGCGTACTTTAATTGATGGTGT
TGAAAACCTATGCTCATGGGTTGGGATTATCCCAAATGTGATAGAGCTTTGCTTAAACATGATACGTATGATTTT
AGCCATGGTGTGGGTTCTAAGCATGTTAATTTGTTGATCTGTAACAGATAGGTTTATAGGCTTTGGTAAACGAGTT
40 GGCACAAGTTTTTAAACAGAAGTTGTTTATTCTAATGGTGGTTTATTATTTTAAAGCCAGGTGGTACGACTCTGGTGA
CGCTAGTACAGCTTTATGCTAATTTCTATTTTAAACATTTTCAAGCCGTGAGTTCTAACATTAAACAGGTGCTTAG
TGTCCCATCAGATTATGTAATAATGTTAATGTTAGGGATCTACAACGACGCTGTATGATAATTGCTATAGGTT
AACTAGTGTTGAAGAGTCATTCAATTGATGATTATATATGTTATCTTAGGAACATTTTCAATGATGATTTCTCTC
TGATGACGGTGTGCTGTTTATAACAAGGATATATGCTGAGTTAGGTTATATAGCAGACATATTAGTGTCTTTTAAAGC
45 CACTTTGTATTACAGAATAATGCTTTATGATGACTCTTAAATGTTGGGTTGAAGAAGATTTAACTAAGGGACC
ACATAGGATTTTGTTCAGCATACTATGCAAAATAGTTGATAAAGATGGTACCTATTATTTGCCTTACCCAGATCC
TAGTAGGATCTTGTGAGCTGGTGTGTTTTGTTGATGATGTTGTTAAGACAGATGCTGTGTTTGTGTTAGAACGTTA
TGTGTCTTTAGCTATTGATGCATACCCCTCTTTTCAAAACCCCTAATCTGAATATCGTAAGGTTTCTTACGTATT
ACTTGATTGGGTTAAGCATCTTAAACAAAATTTGAATAGGGGTGTTCTTGAATCTTTTCTGTTACACTTCTTGA
50 TAATCAAGAAGATAAGCTTTTGGTGTGAAGATTTTATGCTAGTATGTATGAAAATTCTACAATATTGCAAGCTGC
TGGCTTATGTGTTGTTTGTGGTTTACAAAACCTGTTCTTCTGTTGTGGTGAATGTTCTGCGTAAGCCTATGTTGTGCA
TAAATGTGCAATATGATCAATGATTTTGGTACCGACCAAGTTTATTTTGGCTATAACACCGTATGATGTAATGC
ATCAGGTTGTGGTGTAGTGATGTTAAAAAATGCTATCTTGGTGGTTTGAATTAATGATTGTAACAAATCATAAACC
ACAGTTGCTTTTCTATTGTTCTGCTGGTAAATATATTGGTGTATATAAAAAATTGAGCAACTGGTTTCCCTTGA
55 TGTGTAAGTTTTTTAATAGGCTTGCAACGCTCTGATTGGACTGATGTTAGGGACTATAAACTTGCTAATGATGTTAA
AGATACACTTAGACTCTTTGCGGCTGAACTATTAAAGCTAAAGAAGAGAGTGTAAAGTCTCTTATGCTTTTGGC
AACTCTTAAAGAGGTTGTTGGACCTAAAGAAATGCTTCTAGTTGGGAAAGTGGTAAGTTAAACCACCTTTGAA
TCGTAATTTCTGTTTTTCACTGTTTTCAAAATAAGTAAGGACTCAAAATTTCCAAATAGGTGAGTTTCATCTTTGAAA
GGTTGAATGATGGTTCTGATACTGTTACGTATAAGTCTACTGTAACCACTAAGTTAGTTCCTGGTATGATTTTTGT
60 CTTAACATCTCACAATGTTCAACCTTTACGTGCACCAACTATTGCAAAACCAAGAGAAGTATTCTAGCAATTTATAA
ATTGCAACCTGCTTTTAAATGTGAGTGATGCATATGCTAATTTGGTTCATATTAACCACTTATTGGTAAACAAAA
GATAACTACAATACAGGTCCTCTGGTAGTGGAAGTCAATGTTCCATTGGACTTGGATTGTAATGTAATCAGG
TGCGCGTATTGTTTTTGTGTTGTTGTTGCCCCATGCTGCTGTTGATTCTTATGTGCAAAAGCTATGACTGTTTATAG
CATTGATAAGTGTACTAGGATTATACCTGCAAGAGCTCGGGTTGAGTGTATAGTGGCTTTAAACCAAATAACAC
65 TAGTGCACAATACATATTTAGCACTGTTAACGCATTACCTGAGTGTAATGCTGATATTTGTTGTTGATAGTAAAGT
TTCAATGTGTACAAATATGACCTTTCTGTTATTAATCAGCGTTTATCATATAAACATATGTTTATGTTGGTGA
TCCACAACAACCTCTGACCTAGTAGTAATGATTACTAAAGGTGTTATGGAGCTTTGATTATAACAGTTGTTTAC
TCAACGTATGTTGTTCTATAGGCCCTGATGTTTTTCTTCATAAATGTTATAGATGTCCTGCTGAAATAGTTAATAC

AGTTTCTGAACCTTGTATGAGAACAGTTTGTCCCTGTTAAACCTGCTAGTAAACAGTGTAAAAATCTTTT
 TAAGGGTAATGTACAGGTTGACAATGGCTCTAGTATTAACAGAAAGCAGCTTGAAATAGTTAAGCTGTTTATG
 TAAAAATCCAAGTTGGAGTAAGGCTGTGTTTATTTCTCCTTATAATAGTCAGAAATATGTTGCTAGTAGATTTT
 5 AGGACTTCAAATTCAAACTGTTGATTCTTCTCAAGGTAGTGAGTATGATTATGTAATCTATGCACAAACTCTG
 CACTGCACATGCTTGCAATGTAAACCGTTTAAATGTTGCTATAACACGTGCTAAGAAGGGTATATTTTGTGTAA
 GTGTGATAAACTTTGTTTGAATCACTTAAGTTTGTGAGATTAAACATGCAGATTACACTCTAGCCAGGTTTC
 TGGCTTGTAAAAAATTGTACACGCACTCCTCTTAATTTACCACCAACTCATGCACACACTTTCTTGTGCTGTC
 AGATCAGTTTAAAGACTACAGGTGATTAGCTGTTCAAATAGGTTCAAATAATGTTTGTACTTATGAACATGTTA
 10 ATCATTTATGGGTTTTAGGTTTGATATTAGTATTCCTGGTAGTCATAGTTTGTGTTTGTACACGTGACTTTGCTA
 TCGTAATGTGCGTGGTTGGTTGGGTATGGATGTTGAAAGTGCTCATGTTTGTGGCGATAACATAGGTACTAATG
 TCCTTTACAGGTTGGTTTTTCAAATGGTGTTAATTTGTTGTGCAAACTGAAGGTTGTGTGTCTACCAATTTTG
 TGATGTTATTAAACCTGTTTGTGCAAAATCTCCACAGGTGAACAAATTTAGACACCTTGTTCCTTTTACGTA
 AGGACAACCTTGGTTAATTGTTGCTAGACGCATTGTGCAAAATGATATCTGATTATTTGTCCAATTTGCTGACA
 15 TCTTGTCTTTGTTTGTGGGCAGGTAGTTTGGGAATTAACATAATGCGTTACTTTGTAAAAATAGGGCCAAATTA
 ATATTGTTATTGTGGTAATTCTGCCACTTGTATAATTCAGTTAGTAATGAATATTTGTTGTTTTAAACATGCAT
 GGGTTGTGATTATGTTTACAATCCGTATGCTTTTGATATACAACAGTGGGGTTATGTTGGTTTCTTGAGCCAG

Hypothesized ORFs

>~out: -1 to 5320: Frame 2 1774 aa
 20 SLIRRARGSSAARLEPCNGTDIDKCVRAFDIYNKNVSFLGKCLKMNCVRFKNADLKDGYFVIKRCCKSVMEHEQ
 MYNLLNFSGALAEHDFFTWKDGRVIYGNVSRHNLTKYTMMDLVYAMRNFEQNCVDLKEVLVLTGCCDNSYFDSI
 GWYDPVENEDIHRYASLGKIVARAMLKCVALCDAMVAKGVGVLTLDNQDLNNGNFYDFGDFVVSLEPNMGVPCCT
 SYYSYMPIMPIMGLTNCLASECFVKSDIFGSDFTDLKDYFTEHKENLFNKYFKHWSFDYHPNCSDCYDDMCVIF
 25 CANFNTLFAATTIPGTAFGPLCRKVFIDGVPLVTTAGYHYFKQLGLVWNKDVTNHSVRLTITELLQFVTDPSLIAS
 SPALVDQRTICFSVAALSTGLTNQVVKPGHFNEEFYNFLRLRGFFDEGSELTLKHFFFAQNGDAAVKDFDFRYN
 KPTILDICQARVYKIVSRYFDIYEGGCIKACEVVVTNLNKSAGWPLNKF GKASLYYESISYEEQDALFALTNRN
 VLPTMTQLNLKYAISGKERARTVGGVSLSTMTTRQYHQHKLKSI VNRNATVVI GTTKFYGGWNMLRLTLIDGV
 ENPMLMGWDYPKCDRALPNMIRMISAMVLGSKHVNCCTVDRFYRLGNELAQVLTEVVYSNGGFYFKPGGTTSGI
 30 ASTAYANSIFNIFQAVSSNINRLSVPSDSCNNVNVRDLQRLYDNCYRLTSVEESFIDDYGYLRKHFSMMILS
 DDGVVCYNKYAELGYIADISAFKATLYYQNNVFMSTSKCWVEEDLTGKPFHEFCSQHTMQIVDKDGTYYLPYPDE
 SRILSAGVFVDDVVKTDVAVLLERYVSLAIDAYPLSKHPNSEYRKVFVYVLLDWVKHLNKNLNEGVLSEFSVTLLI
 NQEDKFWDYFASMYENSTILQAAGLCVVCQSQTVLRCGDCLRKPMCLCTKCAVDHVFGTDHKFI LAITPYVCN
 SGCGVSDVKLYLGLNYYCTNHKPLSFPPLCSAGNIFGLYKNSATGSLDVEVFNRLATSDWTDVDRDYKLANDV
 35 DTLRLFAAETIKAKEESVKSSYAFATLKEVVGPKELLSWESGKVKPPLNRNSVFTCFQISKDSKFQIGEFIFER
 VEYGS DTVTYKSTVTTKLVPGMIFVLTSNHNQPLRAPTIANQEKYSSYKLPAPFNVSDAYANLVPYYQLIGKQ
 ITTIQGPFGSGKSHCSIGLGLYPGARIVFVCAHAASVSLCAKAMTVYSIDKCTRIIPARARVECYSGFKPNNI
 SAQYIFSTVNALPECNADIVVVDEVSMCTNYDLSVINQRLSYKHIVYVGDPPQLPAPRVMITKGVMFVDPYDYNVI
 QRMCAIGPDVFLHKCYRCPAEIVNTVSELVYENKFVPVKPASKQCFKIFFKGNVQVDNGSSINRKQLEIVKLFV
 40 KNPSWSKAVFISPYNSQNYVASRFLGLQIQTVDSQSGSEYDYVIYAQTSDTAHACNVNRFNVAITRAKKGIFCVN
 CDKTLFDSLKFKEIKHADLHSSQVCGLFKNCTRTPNLPPHTAHTFLSLSDQFKTTGDLAVQIGSNVCTYEHVI
 SFMGRFRDISIPGSHSLFCTRDFAIRNVRGWLGMDSVAHVCGDNIGTNVPLQVGFNSGVNFVQTEGCVSTNFG
 DVIKPVCAKSPPEQFRHLVPFLRKGPWLIVRRRIVQMISDYSNLSDILVFWLWAGSLELTMTRYFVKIGPIK
 YCYCGNSATCYNVSNEYCCFKHALGCDYVYNPYAFDIQQWGYVGSLSQ
 >~out: 189 to 341: Frame 3 51 aa
 45 RGVLSRLWNTSNPCHTYLTLFLVLSMISLLGKMAESFMVMLVDHLLNL
 >~out: 726 to 977: Frame 3 84 aa
 LVSVLSRVIFLVILKLLICLSMISLNKKIYSISTLSIGVLHILVTVMMICVLYIVLILIHYPQLYQVLLLV
 HYVVKFL
 >~out: 2661 to 2903: Frame 3 81 aa
 50 MRVFLNLFLLHFLIHKISFGVKIFMLVCMKILQYCKLLAYVLFVVKLFFVVVIVCVSLCCALNVHMMYI
 VPTTSLFWL
 >~out: 3075 to 3296: Frame 3 74 aa
 MLKFLIGLQRLIGLMLGTINLLMMLKIHLDLSRLKLLKLRVLSLLMLLQLLKRLLDLKNCFLVGKVVK
 LNHL
 55 >~out: 3741 to 3890: Frame 3 50 aa
 LFIALISVLGLYLQELGLSVIVALNQITLVHNTYLALLTHYLSVMLLILL
 >~out: 4500 to 4676: Frame 3 59 aa
 CVIKLCILHLSFLRLNMQIYTLARFVACLKIVHALLLIYHQLMHTLSCRCQISRLQLVI
 >~out: 4692 to 4862: Frame 3 57 aa
 60 VQIMFVLMNMLYHLWVLGLILVFLVIVCFVHVTLLFVVCVVGWVWMLKVLMFVAIT
 >~out: 4866 to 5039: Frame 3 58 aa
 VLMFLYRLVFQMVLLILLCKLKVVCLPILVMLLNLFVQNLHQVNNLDTLFLFYVKDNLG
 >~out: 5166 to 5315: Frame 3 50 aa
 65 GQLNIVIVVILPLVHQLVMNIVVLNMHVWVIMFTIRMILLIYNSGVMLVP

Alignment

>gi|12175747|ref|NP_073549.1| replicase polyprotein 1ab [Human coronavirus 229E]
 gi|30179827|sp|Q05002|R1AB_CVH22 Replicase polyprotein 1ab (pp1ab) (ORF1ab polyprotein) [Includes:
 Replicase polyprotein 1a (pp1a) (ORF1a)] [Contains: p9;
 p87; p195 (Papain-like proteinases 1/2)
 (PL1-PRO/PL2-PRO); Peptide HD2; 3C-like proteinase
 (3CL-PRO) (3CLp) (M-PRO) (p34); Unknown protein 1; p5;
 p23; p12; Growth factor-like peptide (GFL) (p16);
 RNA-directed RNA polymerase (RdRp) (Pol) (p100); Helicase
 (Hel) (p66) (p66-HEL); Unknown protein 2; p41; Unknown
 protein 3]
 gi|12082740|gb|AAG48591.1| replicase polyprotein 1ab [Human coronavirus 229E]
 Length = 6758

Score = 3137 bits (8134), Expect = 0.0
 Identities = 1465/1773 (82%), Positives = 1633/1773 (92%)
 Frame = +2

Query: 2 SLIRRARGSSAARLEPCNGTDIDKCVRAFDIYNKNVSFLGKCLKMNCVRFKNADLKDGYF 181
 S + R RGSSAARLEPCNGTDID CVRAFD+YNK+ SF+GK LK NCVRFKN D D ++
 Sbjct: 4073 SYLNRVRGSSAARLEPCNGTDIDYCVRAFDVYNKDASF IGKNLKSNCVRFKNVDKDDAFY 4132

Query: 182 VIKRCTKSVMHEQSMYNLLNFSGALAEHDFFTWKDGRVIYGNVSRHNLTKYTMMDLVYA 361
 ++KRC K SVM+HEQSMYNLL A+A+HDFFTW +GR IYGNVSR +LTKYTMMDL +A
 Sbjct: 4133 IVKRCIKSVMDEHESMYNLLKGCNAVAKHDFFTWHEGRTIYGNVSRQDLTKYTMMDL CFA 4192

Query: 362 MRNFDEQNCDVLKEVLVLTGCCDNSYFDSKGWYDPVENEDIHRVYASLGKIVARAMLKCV 541
 +RNFD E++C+V KE+LVLTGCC YF+ K W+DP+ENEDIHRVYA+LGK+VA AMLKCV
 Sbjct: 4193 LRNFDEKDCVFK EILVLTGCCSTDYFEMKNWFDPIENEDIHRVYAALGKVVANAMLKCV 4252

Query: 542 ALCDAMVAKGVVGVLTLDNQDLNGNFYDFGDFVSLPNMGVPCCTSYYSYMPIMGLTNC 721
 A CD MV KGVVGVLTLDNQDLNGNFYDFGDFV+ P MG+P CTSYYSYMP+MG+TNC
 Sbjct: 4253 AFCDEMVLKGVVGVLTLDNQDLNGNFYDFGDFVLCPPGMGIPYCTSYYSYMPVFMGMTNC 4312

Query: 722 LASECFVKSDIFGSDFKTFDILLKYDFTEHKENLFNKYFKHWSFDYHPNCSDCYDDMCVH 901
 LASECF+KSDIFG DFKTFDILLKYDFTEHKE LFNKYFK+W DYHP+C DC+D+MC++H
 Sbjct: 4313 LASECFMKSDIFGQDFKTFDILLKYDFTEHKEVLFNKYFKYWGQDYHPDCVDCHDEMCIH 4372

Query: 902 CANFNTLFATTIPGTAFGPLCRKVFIDGVPLVTTAGYHFKQLGLVWKNKDVNTHSVRLTIT 1081
 C+NFTL FATTIP TAFGPLCRKVFIDGVP+V TAGYHFKQLGLVWKNKDVNTHS RL TIT
 Sbjct: 4373 CSNFNTLFATTIPNTAFGPLCRKVFIDGVPVVATAGYHFKQLGLVWKNKDVNTHSTRLTIT 4432

Query: 1082 ELLQFVTDP SLIIASSPALVDQRTICFSVAALSTGLTNQVVKPGHFNEEFYNFLRLRGFF 1261
 ELLQFVTDP+LI+ASSPALVD+RT+CFSVAALSTGLT+Q VKPGHFN+EFY+FLR +GFF
 Sbjct: 4433 ELLQFVTDP TLIVASSPALVDKRTVCFSVAALSTGLTSQT VVKPGHFNF EYDFLRSQGF 4492

Query: 1262 DEGSELTLKHFFFAQNGDAAVKDFDFYRYNKP TILDICQARVYKIVSRFYDIYEGGCIC 1441
 DEGSELTLKHFFF Q GDAA+KDFD+YRYN+PT+LDI QARV Y++ +RYFD YEGGCI
 Sbjct: 4493 DEGSELTLKHFFFTQKGDAAIKDFDYRYNRPTMLDIGQARVAYQVAARYFD CYEGGCIT 4552

Query: 1442 ACEVVVTNLNKSAGWPLNKFGKASLYYESISYEEQDALFALTNRNVLPTMTQLNLKYAIS 1621
 + EVVVVTNLNKSAGWPLNKFGKA LYYESISYEEQDA+F+LTKRN+LPTMTQLNLKYAIS
 Sbjct: 4553 SREVVVTNLNKSAGWPLNKFGKAGLYYESISYEEQDAIFSLTKRNILPTMTQLNLKYAIS 4612

Query: 1622 GKERARTVGGVSLSTMTTRQYHQKHLKSIVNTRNATVVI GTTKFYGGWNNMLRLTIDGV 1801
 GKERARTVGGVSL+TMTTRQ+HQK LKSIV TRNATVVI GTTKFYGGW+NML+ L+ V
 Sbjct: 4613 GKERARTVGGVSLLATMTTRQFHQKCLKSIVATRNATVVI GTTKFYGGWNNMLKNLMADV 4672

Query: 1802 ENPMLMGWDYPKCDRALEPMIRMISAMVLGSKHVNCTVTDRFYRLGNELAQVLTEVVYS 1981
 ++P LMGWDYPKCDRA+P+MIRM+SAM+LGSKHV CCT +D+FYRL NELAQVLTEVVYS
 Sbjct: 4673 DDPKLMGWDYPKCDRAMPSMIRMLSAMILGSKHVTCCTASDKFYRLSNELAQVLTEVVYS 4732

Query: 1982 NGGFYFKPGGTTSGDASTAYANSIFNIFQAVSSNINRLLSVPSDCNNVNVRDLQRRLYD 2161
 NGGFYFKPGGTTSGDA+TAYANS+FNIFQAVSSNIN +LSV S +CNN NV+ LQR+LYD
 Sbjct: 4733 NGGFYFKPGGTTSGDATTAYANSVFNIFQAVSSNINCVLSVNSSNCNNFNVKLQRQLYD 4792

Query: 2162 NCYRLTSVEESFIDDYGYLRKHFSMMILSDDGVVCYNKYAELGYIADISAFKATLYYQ 2341
 NCYR ++V+ESF+DD+GYL+KHFSMMILSDD VVCYNK YA LGYIADISAFKATLYYQ
 Sbjct: 4793 NCYRNSNVDES FVDDFYGYLQKHFSMMILSDDSVVCYNKTYAGLYIADISAFKATLYYQ 4852

Query: 2342 NNVFMSTSKCWVEEDLTGKPHFCSQHTMQIVDKDGTYYLPYPDP SRIISAGVFVDDVVK 2521
 N VFMST+KCW EEDL+ GPHEFCSQHTMQIVD++G YYLPYPDP SRI+SAGVFVDD+ K
 Sbjct: 4853 NGVFMSTAKCWTEEDLSIGPHFCSQHTMQIVDENGKYYLPYPDP SRIISAGVFVDDITK 4912

	Query: 2522	TDAVVLLERYVSLAIDAYPLSKHPNSEYRKVFYVLLDWVKHLNKNLNEGVLSEFSVTLLD	2701
	Sbjct: 4913	TDAV+LLERYVSLAIDAYPLSKHP EYRKVFY LLDWVKHLNK LNEGVLSEFSVTLLD	4972
5	Query: 2702	NQEDKFWCEDFYASMYENSTILQAAGLCVVCGSQTVLRCGDCLRKPMCTKCAYDHVFGT	2881
	Sbjct: 4973	E KFW E FYASMYE ST+LQAAGLCVVCGSQTVLRCGDCLRRPMLCTKCAYDHVFGT	5032
10	Query: 2882	DHKFILAITPYVCNASCVCVSDVKLYLGGLNYYCTNHKPOLSFPLCSAGNIFGLYKNSA	3061
	Sbjct: 5033	DHKFILAITPYVCN SGC V+DV KLYLGGLNYYC +HKP LSFPLCSAGN+FGLYK+SA	5092
15	Query: 3062	TGSLDVEVFNRLATSDWTDVDRDYKLANDVKDTRLRFAAETIKAKEESVKSSYAFATLKEV	3241
	Sbjct: 5093	GS+D++VFN+L+TSDW+D+RDYKLAND K++LRLFAAET+KAKEESVKSSYA+ATLKE+	5152
20	Query: 3242	VGPKEALLSWESGKVKPPLNRNSVFTCFQISKDSKFQIGEFIFEKVEYGSDTVYKSTVT	3421
	Sbjct: 5153	VGPKEALLWESGK KPPLNRNSVFTCFQI+KDSKFQ+GEF+FEKV+YGSDTVYKST T	5212
25	Query: 3422	TKLVPGMIFVLTSHNVQPLRAPTIANQEKYSSIIYKLHPAFNVSDAYANLVPPYQOLIGKQK	3601
	Sbjct: 5213	TKLVPGMLFILTSHNVAPLRAPTMANQEKYSTIYKLHPSFNVSDAYANLVPPYQOLIGKQK	5272
30	Query: 3602	ITTIQGGPPGSGKSHCSIGLGLYYPGARIVFVACAHAAVDSLCAKAMTVYSIDKCTRIIPA	3781
	Sbjct: 5273	ITTIQGGPPGSGKSHCSIG+G+YYPGARIVF AC+HAAVDSLCAKA+T YS+DKCTRIIPA	5332
35	Query: 3782	RARVECYSGFKPNNNTSAQYIFSTVNALPECNADIVVVDEVSMCTNYDLSVINQRLSYKHI	3961
	Sbjct: 5333	RARVECYSGFKPNN SAQY+FTVNALPE NADIVVVDEVSMCTNYDLSVINQRL+SYKHI	5392
40	Query: 3962	VYVGDPQQLPAPRVMITKGVMEPVVDYNNVVTQRMCAIGPDVFLHKCYRCPAEIVNTVSELV	4141
	Sbjct: 5393	VYVGDPQQLPAPRV+I+KGVMEP+DYNVVTQRMCAIGPDVFLHKCYRCPAEIVNTVSELV	5452
45	Query: 4142	YENKFVPVKPASKQCFKIFFKGNVQVDNGSSINRKQLEIVKLFLVKNPSWSKAVFISPYN	4321
	Sbjct: 5453	YENKFVPVKEASKQCFKIFERGSVQVDNGSSINRRQLDVVKRFIHKNSTWSKAVFISPYN	5512
50	Query: 4322	SQNYVASRFLGLQIQTVDSQSGSEYDYVIAQTSDTAHACNVNRFNVAITRAKKGIFCVM	4501
	Sbjct: 5513	SQNYVA+R LGLQ QTVDS+QSGSEYDYVIAQTSDTAHACN NRFNVAITRAKKGIFC+M	5572
55	Query: 4502	CDKTLFDSLKFKEIKHADLHSSQVCGLFKNCTRTPLNLPPHTAHTFLSLSDQFKTGDIA	4681
	Sbjct: 5573	D+TLFD+LKFFEI DL S CGLFK+C R P++LPP+HA T+LSLSD+FKT+GDIA	5632
60	Query: 4682	VQIGSNVCTYEHVISFMGFRFDISIPGSHSLFCTRDFAIRNVRGWLGMDEVSAHVCGDN	4861
	Sbjct: 5633	VQIG+NNVCTYEHVIS+MGFRFD+S+PGSHSLFCTRDF+A+R+VRGWLGMDEV AHV GDN	5692
65	Query: 4862	IGTNVPLQVGFSNGVNFVQTEGCVSTNFGDVIKPVCAKSPPEQFRHLVPLRKGPWPWL	5041
	Sbjct: 5693	+GTNVPLQVGFSNGV+VQ EGCV TN G V+KPV A++PPGEQF H+VP LKRGQPW	5752
70	Query: 5042	IVRRRIVQMISDYLNSLSDILVFLWAGSLELTMMRYFVKIGPIKICYCGNSATCYNSVS	5221
	Sbjct: 5753	++R+RIVQMI+D+L+ SD+LVFVLWAG LELTMMRYFVKIG +K+C CG ATCYNSVS	5812
	Query: 5222	NEYCCFKHALGCDYVYNPYAFDIQQWGYVGSLS	5320
	Sbjct: 5813	N+YCCFKHALGCDYVYNPY DIQQWGYVGSLS	5845
	Query: 5222	NEYCCFKHALGCDYVYNPYAFDIQQWGYVGSLS	5320
	Sbjct: 5813	NDYCCFKHALGCDYVYNPYVIDIQQWGYVGSLS	5845

5. Sequence E

6143 nucleotides; 3' end of Replicase and 5' end of Spike

TCTGGAATTGTAATGTTgATATGTATCCAGAATTTTCAATTGTGTGTGCTTTGACACACAGTACTCGTTCTGTTT
 TTAATTTAGAAAGGTGTTAATGGTGGTTCTCTTTATGTTAAACAAACATGCGTTTCATACACCAGCATATGATAAAC
 GTGCTTTTGTAAATTAACCTATGCCCTTTTTTTACTTTGATGACAGTGATGTTGATGTTGTGCAAGAACAAC
 TTAATTATGTACCCCTTCGCGCTAGTAGTTGTGTTACCCGTTGTAATATAGGTGGTGTGTTTGTTCAAAACATG
 CAAATTTGTATCAAAAATATGTTGAGGCATATAATACATTTACACAGGCTGGTTTAAACATTTGGGTACCACATA
 GTTTTGTATGTTTATAATTTGTGGCAAATTTTATTGTTGAACTAATTTACAAAGTCTTGAAAATATAGCATTTAATG
 TTGTAAAAAAaGGGTGTTTACTGGTGTGTTGATGGTGAGTTGTTGATGTTGTTGTTGTTGTTGTTGTTGTTGTTG
 GCTATGGCGATGTTGACAACTTGGTTTTTACAAATAAAAACAACATTGCCTACTAATGTTGCTTTTGAATTGTTTG

5 CAAAACGAAAAATGGGTTTAAACACCACCATTGTCTATTCTCAAAAAATCTTGGTGTGTTGGCTACATATAAAATTTG
TTTTATGGGATTATGAAGCTGAAAGACCTTTTACCTCATATACTAAGAGTGATGTAAATACACTGATTTTAAATG
AGGATGTTTGTGTTTGTGTTTACAAATAGTATTCAGGGTTCGTATGAGCGTTTACGCTTACTACGAACGCTGTTT
TATTTTCTACTGTTGTCAATTAATAATTTAACACCTATAAAGTTGAATTTTGGTATGTTGAATGGTATGCCAGTTT
10 CTCTATTAAGAGTGATAAAGGTGTTGAAAAATTAGTTAATTGGTACAYATATGTTTCGTAAAAATGGTCAATTTT
AAGATCATTATGATGGTTTTACACTCAAGGTAGGAATTTATCAGACTTTACACCAAGAAGTGATATGGAGTATG
ATTTTCTTAACATGGATATGGGTGTTTTTATTAATAAATATGGTCTTGAGGATTTTAAATTTGAACATGTTGTAT
ATGGTGATGTTTCAAAAACACATTAGGAGGTCTTCATTTGTTGATATCACAGTTTAGGCTTAGTAAATGGGTG
15 TTTTGAAGCTGATGATTTTGTCACTGCTTCTGACACAACCTTTGAGGTGCTGTACTGTTACTTATCTTAATGAAC
TTAGTTCAAAAGTTGTTTGTACTTATATGGATTTGTTGTTGGACGACCTTGTACTATATAAAGAGTTTAGATC
TTGGTGTAATATCTAAAGTTTATGAAGTTTATTATAGATAAATAACCTTATAGGTGGATGTTGTGGTGTAAAGATA
ACCACCTTGCTCCACTTTTATCCACAGTTGCAGTCTGCTGAATGGAAGTGTGGTTATGCTATGCCACAAATTTATA
AGCTTCAACGWATGTGTTTGGAACTTGTAAATTTATATAAATATGGTGTCTGGTATTAAGTTGCCCTAGTGGTATAA
20 TGTTAAATGTTGTTAAATACACTCAGCTTTGTCAATACCTAAATAGCACTACAATGTGCGTACCCTCATAATATGC
GTGTTTTGCACATATGGTGTCTGGTCTGACAAAGGTGTGGCACCCTGGTACAACTGTTTAAAAACACTTTGGCTACCAC
15 CTGATGCAATAATCATTGATAATGATATCAATGATTTAGTTAGTATGATGAGATTTCAGATTTCAGATTACAGGTGATTGTG
CTACTGTTTACCTTGAAGATAAGTTTGACTTACTTATTTCTGATATGATGATGGTAGAATTTAAATTTTGTGATG
GTGAAACGCTCTCTAAAGATGGTTTTCTTACTTATCTTAATGGTGTATTATAGAGAAAAATTAGCTATTGGTGGTA
GTGTTGCCATTAAAGATTACAGAATATAGTTGGAATAAGTATCTTTATGAATTAATAAAGAGTTTGTGTTTGGTA
25 CTTTGTCTGACGCTCTGTTAATACATCCTCTTCAAGAGCTTTTCTTATTTGGTATTAAATTTTAGGTGACTTTA
TTCAAGGTCTTTTATAGCTGGTGAACACTGTTTCATGCTAATTATATATTTTGGCGTAATCTACTATTATGTCTT
TGTCATACAATTCAGTTTATAGTTTAAAGTAAGTTTGAATGTAAACATAAGGCCACTGTTGTTGTACACTTAAAG
ATAGTGATGTAAATGATATGGTTTTGAAGTTTGAATTAAGAGTGGTAGGTTGTTGTTACGTAATAGTGGCCGTTTGTG
GTGGTTTATAGTAATCATTTAGTCTCAACTAAATGAAACCTTTCTGATTTTGTCTTATTTTGGCCCTGGTTTCTTG
30 GTTTTCTACATTAACAGTAATGCTAGTATTTCTATGTTTACAATTAGGTGTTCTGATAACTCTTCAACTATTGT
CACAGGTTTGTGTCAGTCCATTTGGATTTGTGCTAATCAGAGTACATCTAGTTACCCAGCCAACGGCTTTTCTA
TATTGATGTTGGTAAACACCGTAGTGCCCTTTGCACTCCATAGTGGTTATTATGATGCTAACAGTATTATATTTA
TCTCACTAATAAAAAACATTTAAATGCTCCTGTCACTCTGAAGATTTGTAAGTTTGGAAACACTTCTTTTGATTT
TTTAAGTAATGTTTCTACTTCTCATGATTGTATAGTTAATTTGTCAATTCACAGAACAGTTAGGTGTGCTTTTGGG
35 CATAACTATATCGGGTGAACGTGTACGTTTGCATTTATATAATGCAACTCGTACTTTTTATGTGCCGGCCGCTTA
TAAACTTACTAACTTAGTGTTAAATGTTACTTTAGTGAATCCTGTGTTTATGTTGTCAATGCCACCATTAC
TGTTAATGTCACCACACTTAATGGCCGTATAGTTAACTACACTGTTTGTGATGATTGTTAATGTTTACTGATAA
CATATTTCTGTTCAACAGGATGGCCGCTTCTAAGTTTCCCTTTTAAATAATTTGGTTTGTGTTAACTAATGG
40 TTTCCACATTAGTGGACGGGGTCTCTAGACTTTATCAACCACTCCGTTTAACTTGTTTATGGCCGTACCTGGTCT
TAAATCTTCAACTGGTTTTGTGTTTAAATGCCACTGGTCTGATGTTAATTGTAACGGCTATCAACATAATTC
TGTTGCTGATGTTATGCGTTACAATCTTAACCTCAGTGCTAATCTGTGGACAATCTTAAGAGTGGTGTATAGT
TTTTAAACCTTTACAGTACGATGTTTGTGTTTATTTAGTAACTTTCTTCTCAGGTGTTCTTTCAGGCTTCTTTCAGC
45 TTTTGGCCCTTCTCTCAACCTTATTACTGTTTATATAAGTAACTATCAACACTACTCATGTTAGCACTTTTGT
GGGTATTTTACCACCACTGTGCGTGAAATTTGTTGTTGCTAGAACTGGTCAGTTTTATATTAATGGTTTTAAGTA
40 TTTTCGATTTGGGTTTTCATAGAAGCTGTCAATTTTAAATGTCACGACTGTAGTGCCACAGATTTTGGACGGTTGC
ATTTGCTACTTTTGTGATGTTTGGTTAATGTTAGTGCAACTAACATTCAAACTACTTTATTTGCGATTCTCC
TAATGTTTTGCTGAGACTTATGTTGCACTCCCATTTATTATCAACATACGGACATAAATTTTACTGCAACTGC
ATCTTTTGGTGGTTCTTGTATGTTTGTAAACCACGCCAGGTTAATATATCTCTTAATGGTTAACACTTCAGTGTG
50 TGTTAGAACATCTCATTTTTCAATTAGGTATATTTATAACCCGTTAAGAGTGGTTACCAAGTACTCTTTCATG
GCATATTTATTTAAAGAGTGGCACTTTGTCATTTTCTTTTCTAAGTTAAATAATTTCAAAAGTTTAAAGACTAT
TTGTTTCTCAACCGTCGAAGTGCCTGGTAGTTGTAATTTTCCACTTGAAGCCACCTGGCATTACACTTCTTATAC
TATTGTTGGTGCTTTGTATGTTACTTGGTCTGAAGGTAATTCATTACTGGGTGACCTTATCCTGTCTCTGGTAT
TCGTGAGTTTAGTAATTTAGTTTAAATAATTTGTACCAATATAATTTATGATTATGTTGGTACTGGAATTAT
55 ACGTTCTTCAACACAGTCACTTGTCTGGTGGTATTTATACATATGTTTCTAAGTTAAATAATTTCAAAAGTTTAAAGACTAT
TGTTTCCACTGGTAACATTTTATTTGTGACACCATGTAACCAACCAGATCAAGTAGCTGTTTATCAACAAAGCAT
TATTGGTGCCATGACCGCTGTTAATGAGTCTAGATATGGCTTGCAAACTTACTACAGTTACCTAATCTTTATTA
TGTTAGTAATGGTGGTAACAATTGCACCTACGGCTGTTATGATTTATTCTAATTTTGGTATTTGTGCTGATGGTTT
TTTAATTCCTGTTCTGCCGCTAATCTAGTGATAATGTTATTTAGCCATAATCACTGCTAATTTTATCCATTCC
60 CTCTAAGTGGACTACTTCAAGTTCAAGTTGAGTACCTCAAAATTAAGTACTTCCAAATAGTTGTTGATTGTGCTAC
TTATGTTGTAATGGTAACCTTCGTTGTAAGAATCTACTTAAGCAGTATACTTCTGCTTGTAAAACTATTGAAGA
TGCCCTTACGACTTAGTGCTCATTTGGAACTAATGATGTTAGTAGTATGCTAATTTTCGATAGCAATGCTTTTAG
TTTGGCTAATGTTACTAGTTTGGAGATTATAACCTTTCTAGTGTTTTACCTCAGAGAAACACTTCACTCAAGCCG
TATAGCAGGACGTAGTGCTTTTGGAGATTGTTGTTTGGTATGAGGTTGTTTACATCTGGTTTGGGTACTGTTGATG
65 TGACTATAAGTCTTGTACTAAAGGCTTTCTATTGCTGACCTTGTCTGTGCTCAGTACTACAATGGCATAATGGT
TTTGGCCAGGTGTTGCTGATGCTGAACGTATGGCCATGTACACAGGTTCTCTTATAGGTGGCATGGTGTCTGGAGG
TCTTACATCAGCAGCCGCCATACCTTTTCTTTGGCACTGCAAGCACGACTTAACTATGTTGCTTTACAACTGA
TGTGCTTCAAGAAAATCAGAAAATTTGGCTGCATCATTTAATAAGGCTATTAAATAATATTGTTCTTTTAG
TAGCGTTAATGATGCTATTACACATACGAGGCTATACACTGTTACTATTGCACTTAAATAAGATTTCAGGA
70 TGTGTTAATCAACAGGGTAGTGCTCTTAACCATCTCACTTCACAATTGAGACATAATTTTCAAGCCATTCTTAA
TTCAATTCATGCTATTTATGACCGGCTTGATTCAATTCAGCCGATCAACAAGTTGACAGATTAAATCTGGACG
GCTTGCAGCTTTGAATGCATTTGTTTCCCAAGTTTGAATAAATATACTGAAGTTGCTGGTCCAGCTTAGC
ACAGCAGAAGATTAAATGAATGTGTCAAGTCACAATCTAATAGATATGTTTTTGTGGCAATGGCACTCACATCTT

TTCAATCGTCAACTCAGCTCCAGATGGTTTGCCTTTTCTTCATACCTGTTTTGCTGCCAACTGATTACAAGAATG
 AAAGGCGTGGTCTGGTATCTGTGTTGATGGCATTATGGCTATGTTCTGCGTCAACCTAACTTGGTTCTTTATT
 TGATAATGGTGTCTTTCTGTTAACTTCCAGGGTCATGTTTCAACCTCGTTTACCTGTTTGTCTGATTTTGTGC
 AATATATAATTTGTAATGTTACTTTTGTAAACATATCTCGTGTGAGTTACATACTGTCATACCTGACTACGTTG
 5 TGTAAATAAAACATTACAAGAGTTTGCACAAAACCTACCAAAGTATGTTAAGCCTAATTTGACTTGACTCCTT
 TAATTTAACATATCTTAATTTGAGTTCTGAGTTGAAGCAACTCGAAGCTAAACTGCTACGAATCAGC

Hypothesised ORFs

>~out: 3 to 2357: Frame 3 785 aa
 10 WNCNVDMYPEFSIVCRFDTRTRSVFNLEGVNGGSLYVNKHAFHTPAYDKRAVVKLKPMPPFFYFDDSDCDVQVEQ
 NYVPLRASSCVTRCNIGGAVCSKHANLYQKYVEAYNTFTQAGFNIWVPHSFDVYNLWQIFLETNLQSLNIAFN
 VKKGCFTGVDGELPVAVVNDKVFVRYGDVDNLVFTNKTTLPTNVAFELFAKRMGLTPPLSILKNLGVVATYKF
 LWDYEAERPFSTYTKSVCKYTDNFEDVCVCFDINSIQGSYERFTLT'TNVLFSTVVIKNTPIKLNFGMLNGMPV
 15 SIKSDKGVEKLVNWKYVRKNGQFQDHYDGFYTOGRNLSDFTPRSDMEYDFLNMMDMGVFINKYGLDFNFEHV
 GDVSKTTLGGLHLLISQFRLSKMGVLKADDFVTASDTTLRCCTVTVYLNELSSKVCTYMDLLDDFVTILKSLD
 GVISKVHEVIDNKPWRMLWCKDNHLSTFYPLQSAEWCQGYAMPQIYKLOXMCLEPCNLNYGAGIKLPSGI
 LNVVKYTQLCQYLNSTTMCVPHNMRLVHYGAGSDKGVPATTVLKRWLPPDAIIIDNDINDYVSDADFSITGDC
 TVYLEDKFDLLISDMYDGRIFKCDGENVSKDGFYTLNGVIREKLAIGGSVAIKITEYSWNKYLYELIQRFAFW
 20 LFCTSVNTSSSEAFILGINYLGDFIQGPFIAGNTVHANYIFWRNSTIMSLSYNSVLDLSKFECKHKATVVVTLK
 SDVNDMVLISLIKSGRLLLRNSGRFGGFSNHLVSTK
 >~out: 277 to 438: Frame 1 54 aa
 VVLFVQNMQICIKNMLRHIIHLHRLVLTFGYHIVLMFIIICGKFLKLKIYKVLKI
 >~out: 457 to 618: Frame 1 54 aa
 KKGVLVLVMSYLLQLLTTKFLFAMAMLTTFWLOIKQHCLLMLLNLCLONEKWV
 25 >~out: 622 to 852: Frame 1 77 aa
 HHHCLFSKILVLLHINLFYIGIMKLKDLLPHILRVYVNTLIILRMFVFVLTIVFRVRMSVLRLLRTLFLYFLLLS
 KI
 >~out: 937 to 1149: Frame 1 71 aa
 LIGTXMFVKMVFKEIMMVFTLKVGIIYQTLHQEVIWSMIFLTWIIWVFLINMVLRLILINMLYVMVMFQKLH
 30 >~out: 1387 to 1572: Frame 1 62 aa
 IINLIGGCCGVKITTCPLFIHSCSLNGSVMLCHKFISFNXCWNLVIYIIMVLVLSCLV
 >~out: 1738 to 1935: Frame 1 66 aa
 SLIMISMIMLVMOILALQVIVLLFTLKISLTYLFLICMMVELNFMVKTSLKMVFLILMVLLEKN
 >~out: 2357 to 6142: Frame 2 1262 aa
 35 MKLFLILLILELVSCESTCNASISMLQGVDPNDSSTIVTGLLPVHWICANQSTSSYPANGFFYIDVGKHSAL
 ALHSGYYDANQYYIYLTNKHNLNAPVTLKICKFGNTSDFELSNVSTSHDCIVNLSFTEQLGVPLGITISGETVRJ
 HLYNATRFTFYVPAAYKLTSLSVKCYFSESCVSVVNATITVNVTTLNGRIVNYTVCDDCNGYTDNIFSVQQDGR
 PNGFFPNWFLLTNGSTLVDGVSRLYQPLRLTCLWPVPGKLSSTGFVYFNATGSDVNCNGYQHNSVADVVMRYNLI
 40 LSANSVDNLKSGVIVFKTLQYDVLFCNSSSSGVLDTTIPFGPSSQPYCYFINSTINTHVSTFVGILPPTVRE
 VVARTGQFYINGFKYFDLGFIEAVNFNVTTASATDFWTVAFATFVDVLVNSATNIQNLLYCDSPFEKLQCEHL
 FGLQDGFYSANFLDDNVLPEYVALPIYYQHTDINFATASFGGSCYVCKPROVNI SLNGNTSVCVRTSHFSIRI
 IYNRVKSGSPGDSSWHIYKSGTCPFSSKLNNFQKFKTICFSTVEVPVPGSCNFPLEATWHYTSYTIYVGVYVTVW
 EGNSTIGVPPVPGSIREFSNLVLNNCTKYNIDYVGTGIIRSSNQSLAGGITVVSNSGNLLGFKNVSTGNIFIV
 45 PCNQPDQVAVYQOSIIGAMTAVNESRYGLQNLQLPNFYVVSNGGNNCTTAVMIYSNFGICADGSLIPVRPRNS
 DNGISAITANLISIPSNWTTSVQVEYLQITSTPIVDDCATYVNCNPRCKNLLKQYTSACKTIEDALRLSAHLE
 NDVSSMLTFDSNAFSLANVTSTFGDYNLSSVLPQRNIHSSRIAGRSALDLELLFSKVVTSGLGTVDVDYKSCTKGL
 IADLACAQYYNGIMVLPGVADAERMAMYTGSLIGGMVLGGLTSAAI PFSALQARLNYVALQTDVLQENQKIL
 ASFNKAINNIVASFSSVNDATHTAEAIHTVTIALNKIQDVVNQQGSALNHLTSQLRHNFQAI SNISIHAIYDRLI
 50 SIQADQQVDRLITGRILAALNAFVSQVLNKYTEVRGSRRLAQOKINECVKSQSNRYGFCNGTHIFSIVNSAPDGI
 LFLHTVLLPTDYKNVKAWSGICVDGIYGYVLRQPNLVLYSDNGVFRVTSRVMPQRLPVLSDFVQIYNCNVTFV
 ISRVELHTVIPDYVDVNKTLQEFQNLPKYVKNPFDLTPFNLTLYNLSSSELKQLEAKTATNQ
 >~out: 2448 to 2645: Frame 3 66 aa
 VFLITLQLLSQVCCQSIGFVLIRVHLVTQPTAFSILMLVNTVPLHSIVVIMMLTSIIFISLIKYI
 >~out: 2781 to 2954: Frame 3 58 aa
 55 LYRVKLYVCIYIMQLVLFMCRLINLLNLVNLVNLVNPVFLVLSMPPLLLMSPHMAV
 >~out: 3126 to 3296: Frame 3 57 aa
 LVYGLYLVLNLQVLVFIIMPLVLMVLTAINIILLMLCVTILTSVLILWTLIRVVL
 >~out: 3546 to 3806: Frame 3 87 aa
 60 KLSILMSRLLVPQIFGRHLHLLLLMFWMVLVQLTFKTYFIAILHLKSCSVSTCSLDCKMVFILQIFLMIMFCLRL
 MLHSPFIINIRT
 >~out: 3810 to 3986: Frame 3 59 aa
 ILLQLHLLVVLVFMVFNHARLIYLLMVTLCQVLEHLIFQLGIFITALRVVHVQVTLHGIFI
 >~out: 4026 to 4217: Frame 3 64 aa
 IIFKSLRLFVSQPSKCLVVVIFHLKPPGITLLILLVLCLMLLGLKVIPLLVYLILSLVFSVSVI
 65 >~out: 4227 to 4376: Frame 3 50 aa
 IIVPNIIIFMIMLVLELYVLQTSHLVLLVLMFLTLVIYLVLMFPLVTFLL
 >~out: 5157 to 5447: Frame 3 97 aa

VAVCSEVLHQPPYFLWHCKHDLTMLLYKLMCFKKIRKFWLHHLIRLLIILLLLLVALMMLLHILQRLYIILL
HLIRFRMLLINRVVLLTISLHN
>-out: 5625 to 5774: Frame 3 50 aa
HSRRMLNVSSHNLIDMVFMALTSFQSSTQLQMVCFILFCCQLITRM
5 >-out: 5874 to 6065: Frame 3 64 aa
LPGSCFNLVYLFCLILCKYIIVMLLLLTYLVSSYILSYLTTLMLIKHYKSLHKTYQSMLSILIT

Alignment

10 >gi|12175747|ref|NP_073549.1| replicase polyprotein 1ab [Human coronavirus 229E]
gi|30179827|sp|Q05002|R1AB_CVH22 Replicase polyprotein 1ab (pplab) (ORF1ab polyprotein) [Includes:
Replicase polyprotein 1a (ppl1) (ORF1a)] [Contains: p9;
p87; p195 (Papain-like proteinases 1/2)
15 (PL1-PRO/PL2-PRO); Peptide HD2; 3C-like proteinase
(3CL-PRO) (3CLp) (M-PRO) (p34); Unknown protein 1; p5;
p23; p12; Growth factor-like peptide (GFL) (p16);
RNA-directed RNA polymerase (RdRp) (Pol) (p100); Helicase
(Hel) (p66) (p66-HEL); Unknown protein 2; p41; Unknown
20 protein 3]
gi|12082740|gb|AAG48591.1| replicase polyprotein 1ab [Human coronavirus 229E]
Length = 6758

Score = 1832 bits (3448), Expect = 0.0
25 Identities = 630/789 (79%), Positives = 695/789 (88%), Gaps = 4/789 (0%)
Frame = +8

Query: 3 WNCNVDMPYEFISIVCRFDTRTRSVFNLEGVNGGSLYVNKHAFHTPAYDKRAFVKLKPMPPF 182
30 Sbjct: 5970 WNCNVDMPYEFISIVCRFDTRTRSTLNLEGVNGGSLYVNNHAFHTPAYDKRAMAKLKPAFP 6029

Query: 183 FYFDDSDCDVQEQVNYVPLRASSCVTRCNIGGAVCSKHANLYQKYVEAYNTFTQAGFNI 362
FY+DD C+VV +QVNYVPLRA++C+T+CNIGGAVCSKHANLY+ YVE+YN FTQAGFNI
Sbjct: 6030 FYYDDGSCEVVDQVNYVPLRATNCITKCNIGGAVCSKHANLYRAYVESYNIFTQAGFNI 6089

35 Query: 363 WVPHSFDVYNLWQIFIETNLQSLLENIAFNVVKKGCFGTGVDGELPVAVVNDKVFVRYGDVD 542
WVP +FD YNLWQ F E NLQ LENIAFNVV KG F G DGELEVA+ DKVFVR G+ D
Sbjct: 6090 WVPFTFDCYNLWQFTFEVNLQGLENI AFNVVKNKGSFVGADGELPVAISGDKVFVRDGNVD 6149

40 Query: 543 NLVFTNKTTLPNTNVAFELFAKRKMGTLTPPLSILKNLGVVATYKFVLWDYEAERPFTSYTK 722
NLVF NKT+LPTN+AFELFAKRK+GLTPPLSILKNLGVVATYKFVLWDYEAERP TS+TK
Sbjct: 6150 NLVFNKTSLPNTNIAFELFAKRKVGTLTPPLSILKNLGVVATYKFVLWDYEAERPLTSFTK 6209

45 Query: 723 SVCKYTDENEDVCVCFDNSIQGSYERFTLTNAVLFSSTVVIK----NLTPIKLNFGLMLNG 890
SVC YTD F EDVC C+DNSIQGSYERFTLTNAVLFS +K +L IKLNFGLMLNG
Sbjct: 6210 SVCGYTDAEDVCTCYDNSIQGSYERFTLTNAVLFSATAVKTGGKSLPAIKLNFGLMLNG 6269

Query: 891 MPVSSIKSDKGVEKLVNWXVYVRKNGQFQDHYDGFYTQGRNLSDFTPRSDMEYDFLNMDM 1070
++++KS+ G K +NW+ YVRK+G+ DHDYDGFYTQGRNL DF PRS ME DFLNMD+
50 Sbjct: 6270 NAIATVKSSEDGNIKNINWFVYVRKDGKPVVDHYDGFYTQGRNLQDFLPRSTMEEDFLNMDI 6329

Query: 1071 GVFINKYGLEDFNFHEHVYGVDSKTTLGGHLHLLISQFRLSKMGVLKADDFVTASDTTLRC 1250
GVFI KYGLEDFNFHEHVYGVDSKTTLGGHLHLLISQ RLSKMG+LKA++FV ASD TL+C
Sbjct: 6330 GVFIQYGLEDFNFHEHVYGVDSKTTLGGHLHLLISQVRLSKMGILKAEFVAASDITLKC 6389

55 Query: 1251 CTVTYLNLSSKVVCTYMDLLDDFVTILKSLDLGVISKVHEVIIDNKPWRWMLWCKDNH 1430
CTVTYLN+ SSK VCTYMDLLDDFV++LKSDDL V+SKVHEVIIDNKP+RWMLWCKDN
Sbjct: 6390 CTVTYLNDPSSKTVCTYMDLLDDFVSVLKSDDLTVVSKVHEVIIDNKPWRWMLWCKDNA 6449

60 Query: 1431 LSTFYPLQLQSAEWKCGYAMPQIYKLQRMCLPCNLNYGAGIKLPSGIMLVVVKYTQLCQ 1610
++TFYPLQLQSAEWKCGY+MP IYK QRMCLPCNLNYGAG+KLPSGIM NVVKYTQLCQ
Sbjct: 6450 VATFYPLQLQSAEWKCGYSMPGIYKTQRMCLPCNLNYGAGLKLPSGIMFNVVKYTQLCQ 6509

65 Query: 1611 YLNSTTMCVPHNMRLVHLHGAGSDKGVPAGTTVLKRWLPPXXXXXXXXXXXXVSDADFSIT 1790
Y NSTT+CVPHNMRLVHLHGAGSD GVPAGT VLKRWL YVSDADFS+T
Sbjct: 6510 YFNSTTLCVPHNMRLVHLHGAGSDYGVAGTAVLKRWLPHDAIVVDNDVDYVSDADFSVT 6569

Query: 1791 GDCATVYLEDKFDLLISDMYDGRKFCGGENVSKDGFITYLNGVIREKLAIGGSVAIKIT 1970
GDCATVYLEDKFDLLISDMYDGR K DGENVSK+GFFTY+NG I EKLAIGGS+AIK+T
70 Sbjct: 6570 GDCATVYLEDKFDLLISDMYDGRKTAIDGENVSKGFFTYINGFICEKLAIGGSIAIKVT 6629

Query: 1971 EYSWNKLYELIQRFAFWTLFCTSVNTSSSEAFLLIGINYLGDFFIQGPFIAAGNTVHANYIF 2150
EYSWNK LYEL+QRF+FWT+FCTSVNTSSSEAF++GINYLGDFF IQGPF GN +HANY+F

Sbjct: 6630 EYSWNKKLYELVQRFSFWTMEFCTSVNTSSSEAFVVGINYLGDFAQGPFDIGNIIHANYVF 6689

Query: 2151 WRNSTIMSLSYNSVLDLSKFCKHKATVVVTLKDSVDNMDVLSLIKSGRLLLRNSGRFGG 2330
WRNST+MSLSYNSVLDLSKF CKHKATVVV LKDS+D+N+MVLSL++SG+LL+R +G+

5 Sbjct: 6690 WRNSTVMSLSYNSVLDLSKFCKHKATVVVQLKDSINEMVLSLVRSGKLLVRNGKCLS 6749

Query: 2331 FSNHLVSTK 2357
FSNHLVSTK

10 Sbjct: 6750 FSNHLVSTK 6758

>gi|13604832|gb|AAK32188.1| spike glycoprotein [Human coronavirus 229E]
Length = 1173

15 Score = 1891 bits (3600), Expect = 0.0
Identities = 682/1069 (63%), Positives = 833/1069 (77%), Gaps = 7/1069 (0%)
Frame = +2

20 Query: 2948 GRIVNYTVCDCCNGYTDNIFSVQQDGRIPNGFPFNNWFLLTNGSTLVDGVSRLYQPLRLT 3127
G +Y+VC+ C GY++N+F+V+ G IP+ F FNNWFLLTN S++VDGV R +QPL L
Sbjct: 21 GLNTSYSVCSGCVGYSENVEFAVESGGYIPSDFAFNNWFLLTNTSSVVDGVVRSFQPLLLN 80

Query: 3128 CLWPVPGLKSSTIGFVYFNATGSDVNCNGYQHNSVADVMRYNLNLSANSVDNLKSGVIVFK 3307
CLW V GL+ +TGFVYFN TG +C G+ + ++DV+RYNLN +NL+ G I+FK

25 Sbjct: 81 CLWSVSGLRFTTIGFVYFNATGSDVNCNGYQHNSVADVMRYNLNLSANSVDNLKSGVIVFK 135

Query: 3308 TLQYDVLFYCSNSSSGVLDTTIPFGPSSQPYCYCFINSTINTTHVSTFVGILPPTVREIVV 3487
T V+FYC+N++ D IPFG +YCF+N+TI S FVG LP TVRE V+

30 Sbjct: 136 TSYGVVVFYCTNNTLVSGDAHIPFGTVLGNFYCFVNTTIGNETTSFVGLPKTVREFVI 195

Query: 3488 ARTGQFYINGFKYFDLGFIEAVNFNVTTASATDFWTVAFATFVDVLNVNSATNIQNLLYC 3667
+RTG FYING++YF LG +EAVNFNVTTA TDF+TVA A++ DVLNVNS T+I N++YC

Sbjct: 196 SRTGHFYINGYRYFTLGNVEAVNFNVTTAETTDFFTVLASAYADVLNVNSQTSIANIYC 255

35 Query: 3668 DSPFEKLQCEHLQFGLQDGFYSANFLDDNVLPEYVALPIYYQHTDINFAT---ASFEGG 3838
+S +L+C+ L F + DGFYS + + LP + V+LP+Y++HT I S GG

Sbjct: 256 NSVINRLRCDQLSFDVDPGFYSTPIQSVELPVSIVSLPVYHKHTFIVLYVDFKPKQSGGG 315

40 Query: 3839 SCYVCKPRQVNI SL-NGNTS---VCVTSHF SIRYIYNRVKS GSPGDSWHIYKSGTCP 4006
C+ C P VNI+L N N + +CV TSHF+ +Y+ G W + +G CP

Sbjct: 316 KCFNCYPAGVNITLANFNETKGPLCVDTSHFTTKYVAVYANVGR-----WSASINTGNCP 370

Query: 4007 FSFSKLNNFQKFKTICFSTVEVPGSCNFPLEATWHYTSYTIYGALYVWSEGNISITGVPI 4186
FSF K+NNF KF ++CFS ++PG C P+ A W Y+ Y +G+LYV+WS+G+ ITGVP

45 Sbjct: 371 FSFGKVNNEVVKFGSVCFSLKDIPGGCAMPIVANWAYS KYTYTIGSLYVSWSDGDGITGVPO 430

Query: 4187 PVSIGIREFSNLVLNNCTKYNIYDYVGTGIIRSSNQSLAGGITYVSNNGNLLGFKNVSTGN 4366
PV G+ F N+ L+ CTXYNIYD G G+IR SN + GITY S SGNLLGFK+V+ G

50 Sbjct: 431 PVEGVSSFMNVTLCKCTKYNIYDVSGVGVIRVSNDTFLNGITYTSTSGNLLGFKDVTGKT 490

Query: 4367 IFIVTPCNQPDQVAVYQSQSIIGAMTAVNESRYGLQNLQLPNFYVYVSNNGMNCTTAVMIY 4546
I+ +TPCN PDQ+ VYQQ+++GAM + N + YG N+++LP F+Y SNG NCT AV+ Y

Sbjct: 491 IYSITPCNPPDQLVVYQQA VVGAMLSNFSTSYGFSNVVELPKFFYASNGTYNCTDAVLTY 550

55 Query: 4547 SNFGICADGSLIPVRPRNSSDNGISAITANLSIPSNNWTTSVQVEYLQITSTPIVDCAT 4726
S+FG+CADGS+I V+PRN S + +SAI+TANLSIPSNNWTTSVQVEYLQITSTPIVDCAT

Sbjct: 551 SSFGVCADGSIIAVQPRNVSYDSVSAI+TANLSIPSNNWTTSVQVEYLQITSTPIVDCAT 610

60 Query: 4727 YVCNGNPRCKNLLKQYTSACKTIEDALRLSAHLETDNDVSSMLTFDSNAFSLANVTSFGDY 4906
YVCNGN RC LLKQYTSACKTIEDALR SA LE+ DVS MLTFD AF+LANV+SFQDY

Sbjct: 611 YVCNGNVRCVELLKQYTSACKTIEDALRNSARLESADVSEMLTFDKKAF+LANVSSFGDY 670

Query: 4907 NLSSVLPQRNIHSSRIAGRSALDLSKSVVTSGLGTVDVDYKSC TKGLSIADLACAQYY 5086
NLSSV+P SR+AGRSA+ED+LFSK+VTSGLGTVD DYK+CTKGLSIADLACAQYY

65 Sbjct: 671 NLSSVIPSLPTSGSRVAGRSAIEDILFSKIVTSGLGTVDADYKNTCKGLSIADLACAQYY 730

Query: 5087 NGIMVLPGVADAERMAMYTGSLIGGMVLGGLTSA AAI PFSLAQRLNYVALQTDVLQEN 5266
NGIMVLPGVADAERMAMYTGSLIGG+ LGGLTSA +IPFSLA+QARLNYVALQTDVLQEN

70 Sbjct: 731 NGIMVLPGVADAERMAMYTGSLIGGIALGGLTSAVSI PFSLAQRLNYVALQTDVLQEN 790

Query: 5267 QKILAASFNKAINNIVASFSSVNDAITHTAEAIHTVTIALNKIQDVVNQQGSALNHLTSQ 5446
QKILAASFNK+ NIV +F+ VNDAIT T++A+ TV ALNKIQDVVNQQG++LNHLTSQ

Sbjct: 791 QKILAASFNKAMTNIVDAFTGVNDAITQTSQALQTVATALNKIQDVVNQQGNSLNHLTSQ 850

75 Query: 5447 LRHNFOAISNSIHAIYDRLDSIQADQQVDRLITGRALALNAFVSQVLNKYTEVRGSRRLA 5626

22/25

15

20

33

25

30

35

40

41

5

5

6

6

>out: 17 to 238: Frame 2 74 aa

```
>~out: 17 to 238: Frame 2 74 aa  
FELLNRFFENYIKWPWWVWLIISVVFVLLSLLVFCCLTSTGCCGCCNCLTSSMRGCCDCGSTKLPYYEFKVVHQ  
>~out: 223 to 723: Frame 1 167 aa
```

KGPRSIMPFGGFLQLTLESTINKSVANLKLPPHDVTVLRDNLKPVTTTSTITAYLLVSLFVTTYFALFKPLTAR
 VACFVLKLLTSLSVYVPLLVLFGMYLDSFIIFFLRCCFDSYMLAIMPIISIKIFHLFCSMLLNYASFQASVGILNI
 FMKIVLLLLFMVVTMSF
 >~out: 525 to 917: Frame 3 131 aa
 5 QFYNFFSTLLFRFIHVGYAYLYKNFSFVLEFNVTKLCFVSGKCWYLEQSFYENRFAAIYGGDHYVVLGGETITI
 SFDDLYVAIRGSCEKNLQMRKVDLYNGAVIYIFAEEFVVGIVYSSQLYEDVPSIN
 >~out: 877 to 1131: Frame 1 85 aa
 FTPLNYTKMFLRLIDDNGIVLNSILWLLVMIFFFLAMTFIKLIQLCFTCHYFFSRTLYQPVYKIFLAYQDYM
 APVPAEVLNV
 10 >~out: 1140 to 1820: Frame 3 227 aa
 TMSNSSVPLSEVYVHLRNWNFSWNLILTVFIVVLQYGHYKYSRLLYGLKMSVLWCLWPLVLALSIFDCFVNFN
 WVFFGFSILMSIITLCLWVMYFVNSFRLWRRVKTFWAFNPETNAIISLQVYGHNYLPMMAAPTGVTLTLLSGV
 LVDGHKIAITRVQVGQLPKYVIVATPSTTIVCDRVGRSVNETSQTGWAFYVRAKHGDFSGVASQEGVLSEREKLI
 LI
 15 >~out: 1324 to 1539: Frame 1 72 aa
 LCLFLTVLSILMWTGSFLVLVFLCLLLHFVYGLCILLIVSDFGAVLKLFGLLILKLMQSSLSRFMDIITR
 >~out: 1654 to 1815: Frame 1 54 aa
 LLHLVPQLFVTVLVALLMQARLVGHSTSVLNMVIFVLPLRRVFCQKERSCFI
 >~out: 1819 to 2964: Frame 1 382 aa
 20 SKLNKMASVNWADDRAARKKFPFPPSYFMPLLVSSDKAPYRVIPRNLVPIGKGNKDEQIGYWNVQERWRMRGQR
 DLPPKVHFYLYLGTGPHKDLKFRQSDGVVWVAKEGAKTVNTSLGNRKRNOQKPLEPKFSIALPPPELSVVEFEDRS
 NSSRASSRSSTRNNSRDSSRSTSRQQRSTRSDSNQSSSDLVAAVTLALKNLGFDNQSKSPSSSGTSTPKKPNKE
 SQPRADKPSQLKKPRWKRVPTREENVIQCFGRDFNHNMGDSDLVQNGVDAGFPQLAELIPNQAALFFDSEVS
 DEVGDNVQITITYTKMLVAKDNKNLPKFIEQISAFKPSIEMQSQSSHVAQNTVLNASIPESKPLADDDSAII
 25 IVNEVLH
 >~out: 1847 to 2074: Frame 2 76 aa
 IGPMTTELLGRNFLLLHFTCLFWLVLRHHIGSFPGILSLVRVIKMSRLVIGMFKSVGVCAGGNVLICLLKFIF
 T
 >~out: 2078 to 2410: Frame 2 111 aa
 30 VLDLIRTLNSDNVLMVLFGLLRKVLKLLIPVLVIANVIRNLWNQSSLLCLQSSLLLSLRIALITHLVLAVVLO
 VTTHETLLVVLQDNSLALVLILTSLQLILLLLLLWL
 >~out: 2771 to 2938: Frame 2 56 aa
 LRIIRTFLLSSLRLVLLNPVLSKKCSHNLMLLRTQYLMLLFQNLNHWLMMIQPL

Alignment

>gi|13604336|gb|AAK32190.1| spike glycoprotein [Human coronavirus 229E]
 Length = 1173
 40 Score = 50.4 bits (119), Expect = 7e-06
 Identities = 26/71 (36%), Positives = 31/71 (43%)
 Frame = +2
 45 Query: 26 LNRFFENYIKWPWXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXSMRGCCDCGSKL 205
 LNR E YIKWPW S+RGCC+ SKL
 Sbjct: 1105 LNRVETYIKWPWWVWLVCISVVLIFVVSMLLLCCCGTCCGFFSCFASSIRGCCE--SKL 1162
 50 Query: 206 PYYEFKVVHVQ 238
 PYY+ EK+H+Q
 Sbjct: 1163 PYYDVEKIHQ 1173
 55 >gi|12175749|ref|NP_073552.1| 4a protein [Human coronavirus 229E]
 gi|138983|sp|P19739|VN4A_CVH22 Nonstructural protein 4a (ORF4a)
 gi|74871|pir|MN1HHC nonstructural protein 4 - human coronavirus (strain 229E)
 gi|58923|emb|CAA33682.1| unnamed protein product [Human coronavirus 229E]
 gi|12082742|gb|AAG48593.1| 4a protein [Human coronavirus 229E]
 Length = 183
 60 Score = 71.6 bits (174), Expect(2) = 1e-17
 Identities = 41/95 (43%), Positives = 56/95 (58%)
 Frame = +1
 65 Query: 253 GLFQLTLESTINKSVANLKLPPHDVTVLRDNLKPVTTTSTITAYLLVSLFVTTYFALFKPL 432
 GLF L L S +N+S++N K+ + ++K T + AY L+SLFV YFALFK
 Sbjct: 4 GLFTLQLVSAVNQSLSNKVSAAEVSQVIQDVKGDTVTFNLLAYTMSLFVVVYFALFK 63
 70 Query: 433 TARGRVACFVLKLLTSLSVYVPLLVLFGMYLDSFII 537
 + RGR A V K+L L VYVPLL Y+ + +I

Fig 3. (Cont.)

24/25

Sbjct: 64 SHRGRAALIVFKILILFVYVPLLYWSQAYIYATLI 98

5

Score = 40.4 bits (93), Expect(2) = 1e-17
Identities = 15/30 (50%), Positives = 22/30 (73%)
Frame = +3

10 Query: 549 LLFRFIHVGYAYLYKNFSFVLFNVTKLCF 638
LL RF H ++ +LYK + F++FNVT LC+
Sbjct: 102 LLGRFFHTAWHCWLYKTWDFIVFNVTLCY 131

15 >gi|12175750|ref|NP_073553.1| 4b protein [Human coronavirus 229E]
gi|188992|sp|P19740|VN4B_CVH22 Nonstructural protein 4b (Nonstructural protein 5A) (ORF4b)
gi|74872|pir|MNIIH2 nonstructural protein 5A - human coronavirus (strain 229E)
gi|58924|emb|CAA33683.1| unnamed protein product [Human coronavirus 229E]
gi|12082743|gb|AAG48594.1| 4b protein [Human coronavirus 229E]
20 Length = 88

Score = 86.7 bits (213), Expect = 2e-16
Identities = 38/80 (47%), Positives = 54/80 (67%)
Frame = +1

25 Query: 640 VSGKCWYLEQSFYENRFAAIYGGDHYVVLGGETITFVSFDDLYVAIRGSCEKNLQLMRKV 819
+ GKCW+LE + F YGGD ++ +G +++ S +DLYVA+RG +K+L L RKV
Sbjct: 1 MQGKCWFLENKALKP-FVCFYGGDQFLYIGDRIVSYFSTNDLYVALRGRIDKOLSLSRKV 59

30 Query: 820 DLYNGAVIYIFAERPVGIV 879
+LYNG +Y+F E P VGIV
Sbjct: 60 ELYNGECVYLFCEHPAVGIV 79

35 >gi|12175751|ref|NP_073554.1| envelope protein [Human coronavirus 229E]
gi|138994|sp|P19741|VEMP_CVH22 Envelope protein (Protein 5B)
gi|74873|pir|MNIIH3 nonstructural protein 5B - human coronavirus (strain 229E)
gi|58925|emb|CAA33684.1| unnamed protein product [Human coronavirus 229E]
gi|12082744|gb|AAG48595.1| envelope protein [Human coronavirus 229E]
40 Length = 77

Score = 87.8 bits (216), Expect = 3e-17
Identities = 36/76 (47%), Positives = 55/76 (72%)
Frame = +3

45 Query: 901 MFLRLIDDNGIIVLNSILWLLVMIFFFVLAMTFIKLIQLCFTCHYFFSRTLQPVYKIFLA 1080
MFL+L+DD+ +V+N +LW +V+I ++ +T IKLI+LCFTCH F +RT+Y P+ ++
Sbjct: 1 MFLKLVDHALVNVLLWCVVILVILLVCITIIKLIKLCFTCHMFCNRTVYGPICKNVYHI 60

50 Query: 1081 YQDYMQIAPVPAEVLN
YQ YM I P P V++
Sbjct: 61 YQSYMHIDPFPKRVID 76

55 >gi|74887|pir|MMIHC E1 membrane glycoprotein - human coronavirus (strain 229E)
gi|329573|gb|AAA45461.1| membrane protein [Human coronavirus 229E]
Length = 225

Score = 275 bits (703), Expect = 4e-72
Identities = 128/224 (57%), Positives = 159/224 (70%)
Frame = +3

60 Query: 1143 MSNSSVPLSEVYVHLRNWNFSWNLILTVFIVVLQYGHYKYSRLLYGLKMSVLWCLWPLVL 1322
MSN + ++ HL+NWNF WN+ILT+FIV+LQ+GHYKYSRLLYGLKM VLW LWPLVL
Sbjct: 1 MSNDNCT-GDIVTHLKNWNFGWNVILTFIVILQFGHYKYSRLLYGLKMLVLWLLWPLVL 59

65 Query: 1323 ALSIFDCFVNFNVDWVFFGFSILMSIITLCLWVMYFVNSFRLWRRVKTFWAFNPETNAII 1502
ALSIED + N++ +W F FS+LM++ TL +WVMYF NSFRL+RR +TFWA+NPE NAI
Sbjct: 60 ALSIFDTWANWDSNWAFAFSLMAVSTLVMWVMYFANSFRLFRARTFWAWNPEVNAIT 119

70 Query: 1503 SLQVYGHNYLFPVMAAPXXXXXXXXXXXXXXXXXHKIATRVQVQQLPKYVIVATPSTTIVC 1682
V G YY P+ AP H++A+ VQV LP+Y+ VA PSTTI+
Sbjct: 120 VTTVLGQTYYPQIQAPTGITVTLLSGVLYVDGHRLASGVQVHNLPYMTVAVPSTTIY 179

Fig 3. (Cont.)

25/25

Query: 1683 DRVGRSVNETSQTGWAFYVRAKHGDFSGVASQEGVLSEREKLLH 1814
RVGRSVN + TGW FYVR KHGDFS V+S ++E E+LLH
Sbjct: 180 SRVGRSVNSQNSTGWVFYVRVKHGDFAVSSPMSNMTENERLLH 223

5 >gi|12175758|ref|NP_078556.1| nucleocapsid protein [Human coronavirus 229E]
gi|29840828|sp|P15130|NCAP_CVH22 Nucleocapsid protein (N structural protein) (NC)
gi|77068|pir|S08031 nucleocapsid protein - human coronavirus
gi|58933|emb|CAA35708.1| unnamed protein product [Human coronavirus 229E]
10 gi|12082746|gb|AAG48597.1| nucleocapsid protein [Human coronavirus 229E]
Length = 389

Score = 267 bits (682), Expect = 1e-69
Identities = 159/406 (39%), Positives = 222/406 (54%), Gaps = 31/406 (7%)
Frame = +1

15 Query: 1834 MASVNWAD---DRAARKKFPFPPSYMPLLVSSDKAPYRVIIPRNLPVIGKGNKDEQIGYWN 2004
MA+V WAD + R+ P S Y PLLV S++ P++VIPRNLPVI K +K++ IGYWN
Sbjct: 1 MATVKWADASEPQRGRQGRIPYSLYSPLLVDSEQ-PWKVIPRNLPINKKDKNKLIGYWN 59

20 Query: 2005 VQERWRMRGQVRDLPPKVHFYLLGTGPHKDLKFRQRSDGVVWVAKEGAKTVNTSLGNRK 2184
VQ+R+R R+G+RVDL PK+HFYLLGTGPHKD KFR+R +GVVWVA +GAKT T G R+
Sbjct: 60 VQKRFRTRKGRVDLSPKLHFYLLGTGPHKDAKFRERVEGVVWVAVDGAKTEPTGYGVR 119

25 Query: 2185 RNQKPLEPKFSIALPPELSVVEFEDXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 2364
+N +P P F+ LP ++VVE D
Sbjct: 120 KNSEPEIPHPNQKLENGVTVVEEPD-----SRAPSRSSQSRSSQSRGRGESKQPQSRNPFSSDR 174

30 Query: 2365 XXXXXXLVAAVTLALKNLGFDN-----QXXXXXXXXXXXXXXXXXXXXXLS 2496
++ AV ALK+LGFD S
Sbjct: 175 NHNSQDDIMKAVAAALKSLGFDKPKQEKDKKSAKTGTPKPSRNQSPASSQTSKSLARSQS 234

35 Query: 2497 QPRADKPSQLKKPRWKRVPTRE--ENVIQCFGPRDFNHNMGSDLVQNGVDAKGFPQLAE 2670
++ +++KPRWKR P + NV QCFCGPRD +HN G + +V NGV AKG+PQ AE
Sbjct: 235 SETKEQKHEMQKPRWKRPNDVTSNVTQCFGPRDLNHNFGSAGVVGANGVKAGYPQFAE 294

40 Query: 2671 LIPNQAALFFDSEVSTDEVGDNVQITYTYKMLVAKDNKNLPKFIEQISAFATKPSIKEMQ 2850
L+P+ AA+ FDS + + E G+ V +T+T ++ V KD+ +L KF+E+++AFT +EMQ
Sbjct: 295 LVPSTAAMLFDSHIVSKESGNTVVLTFTRVTVPKDHPLGKFLLEELNAFT-----REM 349

45 Query: 2851 SQSSHVAQNTVLNASIPE-----SKPLADDDSAIIIEIVNEV 2958
Q+ +LN S E ++P+ D+ S +I++EV
Sbjct: 350 -----QHPLLNPSALEFNPSQTSPATAEPVRDEVSIETDIIDEV 388

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/NL04/000805

International filing date: 18 November 2004 (18.11.2004)

Document type: Certified copy of priority document

Document details: Country/Office: EP
Number: 03078613.1
Filing date: 18 November 2003 (18.11.2003)

Date of receipt at the International Bureau: 31 January 2005 (31.01.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.